



NETWORKS CABLING SYSTEM

ACTIVE SERIES (ระบบสายแลน), FIBER OPTIC

GUIDE PART NUMBER.

Certificate



ITIS. 2166-2548



ITIS. 2165-2548



ISO 9001:2015



ISO 14001



SFP MODULE TRANSCEIVER

Compatible with CISCO, BELLCOMMS, 3COM, Allied Telesyn, LINK, ZYXEL or another brand

155 Mbps



SFP-100FX85-MM
SFP 155M, 850nm/MM, 2Km.



SFP-100FX20-SM
SFP 155M, 1310nm/SM, 20Km.



SFP-100FX20-SM-BCDI 1310
SFP 155M, 1310/1550nm, SM, 20Km.



SFP-100FX20-SM-BCDI 1550
SFP 155M, 1550/1310nm, SM, 20Km.

10 Gbps



SFP-10G-30
SFP+ 10G, 850nm/MM, 300meters



SFP-10G-10
SFP+ 10G, 1310nm/SM, 10Km.



SFP-10G-05
SFP+ 10G/5/2.5/1G Base-T, RJ-45

1.25 Gbps



BC-GLC-T
1000Base-T SFP



CTM-LC0500-MM
SFP 1.25G, 850nm/MM, 550Meters



CTS-LC0020-SM
SFP 1.25G, 1310nm/SM, 20Km.

CTS-LC0040-SM
SFP 1.25G, 1310nm/SM, 40Km.



BC-BL3512-20
SFP 1.25G, 1310/1550nm, SM, 20Km.
BC-BL5312-20
SFP 1.25G, 1550/1310nm, SM, 20Km.

BC-BL3512-40
SFP 1.25G, 1310/1550nm, SM, 40Km.
BC-BL5312-40
SFP 1.25G, 1550/1310nm, SM, 40Km.



Ethernet media converter

(ตัวแปลงสัญญาณไฟฟ้าเป็นแสงใยแก้วนำแสง)

100 Mbps, Ethernet media converter



CTM-RC0202-AUB
1-Port 100M Duplex-FO/SC,
1310nm 2Km to 1-Port 100M UTP



CTS-RC0202-MINI
1-Port 100M Duplex-FO/SC,
1310nm 20Km to 1-Port 100M UTP



CTS-RC0202-AUB
1-Port 100M Duplex-FO/SC,
1310nm 20Km to 1-Port 100M UTP



CTS-RC0202-A-SCB
1-Port 100M Single-FO/SC,
1310/1550nm 20Km to 1-Port 100M UTP

CTS-RC0202-B-SCB
1-Port 100M Single-FO/SC,
1550/1310nm 20Km to 1-Port 100M UTP



CTF-RC0202-T
1-Port 100M Single-FO/SC,
1310/1550nm 25Km to 1-Port 100M UTP

CTF-RC0202-R
1-Port 100M Single-FO/SC,
1550/1310nm 25Km to 1-Port 100M UTP

1000 Mbps, Ethernet media converter



CSM-LC0202-AGB
1-Port 1000M SFP module to 1-Port 1000M UTP



CTM-SC0202-002
1-Port 1000M Duplex-FO/SC,
850nm 0.5Km to 1-Port 1000M UTP



CTG-SC0202-020
1-Port 1000M Duplex-FO/SC,
1310nm SM-20Km/MM-2km to 1-Port 1000M UTP



CTG-SC0202-T
1-Port 1000M Single-FO/SC,
1310/1550nm 25Km to 1-Port 1000M UTP

CTG-SC0202-R
1-Port 1000M Single-FO/SC,
1550/1310nm 25Km to 1-Port 1000M UTP



CTG-SC0220
1-Port 1000M Duplex-FO/SC,
1310nm 25Km to 1-Port 1000M UTP

100 Mbps, Ethernet media converter LFP function



CTS-SC0202-LFP
1-Port 100M Duplex-FO/SC,
1310nm 20Km to 1-Port 100M UTP,
LFP function



CTS-SC0240-LFP
1-Port 100M Duplex-FO/SC,
1310nm 40Km to 1-Port 100M UTP,
LFP function, 5VDC



CTS-SC040-LFP
1-Port 100M Duplex-FO/SC,
1310nm 40Km to 1-Port 100M UTP,
LFP function, 12VDC



CTS-SC0120T-LFP
1-Port 100M Single-FO/SC,
1310/1550nm 20Km to 1-Port 100M UTP, LFP function

CTS-SC0120R-LFP
1-Port 100M Single-FO/SC,
1550/1310nm 20Km to 1-Port 100M UTP, LFP function

1000 Mbps, Ethernet media converter LFP function



CSM-LC0202-LFP
1-Port 1000M SFP module to 1-Port 1000M UTP,
Enhance LFP function



CSM-SC0220-LFP
1-Port 1000M Duplex-FO/SC,
1310nm 20Km to 1-Port 1000M UTP,
Enhance LFP function



CSM-MCC014-AGB
14 Slot Chassis for Media, 19" 2U,
with Redundant Power Supply



Ethernet switch unmanage/manage

(ตัวกระจายสัญญาณในระบบแลนชนิดใช้ภายในอาคาร)

100 Mbps Unmanage



SMD-2402
24-ports 10/100Base-Tx RJ45 to 2 x 1000
Combo Ports (RJ45/SFP) Fast Ethernet
Switch 19" Rack mount type



SMD-008
8-ports 10/100Base-Tx Fast
Ethernet Table type



BC-0104
1-ports 100Base-FX/SC/SM-1310nm to
4-ports 10/100Base-Tx VLAN function 20Km

1000 Mbps Unmanage



BCG-24044
24-1000Base-X SFP slot to
4-ports 10/100/1000Base-T(Combo)
4-port 1000Base-X SFP slot (Combo)
19" Rack Mount type



BC-0802
8-ports 1000Base-x SFP(1G) to
2-ports 10/100/1000Base-T
19" Rack mount type



BCG-0208
2-ports 1000Base-x SFP(1G) to
8-ports 10/100/1000Base-T
19" Rack mount type



BCG-2400
24-ports 10/100/1000Base-T
Office Switch 19" Rack mount type

1000 Mbps Manage



BCG-2404P
24-ports 1000Base-T RJ45 to 4-Ports RJ45,
+4-port 1000M-SFP (100M/1G) Combo Layer 2,
Link Aggregation Spanning Tree Management 19"
Rack mount type



BCG-0802P
8-ports 1000Base-T RJ45 to 2-Ports
1000M-SFP (100M/1G) Layer 2, Link Aggregation
Spanning Tree Management 19" Rack mount type



POE Extender 250 meters ethernet switch commercial

ระยะทางเดินสายไกลสุด 250 เมตร (ตัวกระจายสัญญาณ)

100 Mbps



10/100M

BC-10042
4-port 10/100Mbps PoE Switch
+2-port 100Mbps RJ45 Ethernet Uplink



10/100M

BC-10082
8-port 10/100Mbps PoE Switch
+2-port 100Mbps RJ45 Ethernet Uplink



10/100M

BC-10163
16-port 10/100Mbps PoE Switch
+2-Gigabit RJ45 Uplink+1-Gigabit SFP
100/1,000M Fiber

1000 Mbps



10/100/1000M

BC-20024
4-port 10/100/1000Mbps
PoE Switch +2-port 1000Mbps
RJ45 Ethernet Uplink



10/100/1000M

BC-20028
8-port 10/100/1000Mbps
PoE Switch +2-port 1000Mbps
RJ45 Ethernet Uplink



10/100/1000M

BC-20216
16-port 10/100/1000Mbps
PoE Switch
+2-port 100/1000Mbps RJ45
Ethernet Uplink
+2-port 100/1000Mbps SFP Fiber



10/100/1000M

BC-20224
24-port 10/100/1000Mbps
PoE Switch
+4-port 100/1000Mbps RJ45
Ethernet Uplink, Combo
+4-port 100/1000Mbps
SFP Fiber, Combo

100/1000 Mbps PoE injector



10/100M,
36 W

PSE-M360
10/100M, 36W
1-port 10/100M to
1-port 10/100M, POE



10/100/1000M,
36 W


PSE-G350
10/100/100M, 35W
1-port 10/100/1000M to
1-port 10/100/1000M, POE



10/100/1000M,
60 W

PSE-G600
10/100/100M, 60W
1-port 10/100/1000M to
1-port 10/100/1000M, POE

PSE-M360 10/100M, 36W
PSE-G350 10/100/100M, 35W
PSE-G600 10/100/100M, 60W



POE-S512V 1port 10/100M + Output 5V/2A, 12V/1A
BC101G-12V-30 1port 10/100/100M + Output 5V/4.5A, 9V/2.3A, 12V/2A



POE 1000Mbps LFP function, Ethernet media converter

ตัวแปลงสัญญาณจากไฟฟ้าเป็นแสงชนิด PoE

1000 Mbps Unmanage



BC-210024

1-Port 100/1000 Mbps SFP to
1-Port 10/100/1000 Mbps with PoE,
PSE, Ext. AC-DC48V0.5A., 24W



BC-210065

1-Port 100/1000 Mbps SFP to
1-Port 10/100/1000 Mbps with PoE,
PSE, Ext. AC-DC52V1.25A, 65W
เหมาะสำหรับกล้อง Speed Dome



Features

- IEEE 802.3af/at, PSE compliant
- Support LFP (Link-fault-pass-through) function
- Support 16K Jumbo Frame
- Flow Control for Video Application
- Support 100/1000Base-X by dip-switch
- RJ45 support auto MDI/MDI-X function
- Copper port support 10/100/1000M Auto-negotiation speed, half/full-duplex
- Support Ethernet ESD protection
- Desk-top and Wall- Mounted Installation (with kits)
- Operating temperature : -20~70°C
- Power Source 24W and 65W
- CE, FCC, RoHS available



Ethernet Switch

Fiber Optic Cable

**BC-210024
BC-210065**

PoE, IP CAM.



**Power
Adapter**

220 Vac



POE Switch Ethernet Industrial unmanage, din-rail

(ตัวกระจายสัญญาณในระบบแลนชนิดทนสภาพอากาศความร้อน)

100 Mbps



BC-2016SC
1-Ports SC 100M, 1310MM, 20KM.
1-Port 10/100M PoE Unmanage
LFP Function



BC-2026SFP2
2-Ports SFP 100M
2-Port 10/100M PoE Unmanage



BC-2046SFP2
2-Ports SFP 100M
4-Port 10/100M PoE Unmanage

1000 Mbps



BC-2016SFP2
1-Ports SFP 1000M
1-Port 10/100/1000M
PoE Unmanage



BC-2026SFP2
2-Ports SFP 1000M
2-Port 10/100/1000M
PoE Unmanage



BC-2046SFP2
2-Ports SFP 1000M
4-Port 10/100/1000M
PoE Unmanage



BC-2086SFP2
2-Ports SFP 1000M
8-Port 10/100/1000M
PoE Unmanage



ACTIVE DEVICE

อุปกรณ์ระบบเครือข่าย

EOC



BC-EOC1500M
1-port Coaxial uplink
1-port 10/100M PoE Ethernet



BC-EOC5100M
1-port Coaxial uplink
4-port 10/100M PoE Ethernet



BC-1400POE
4-port RJ45 Uplink
1-Port 10/100M PoE Ethernet




BC-EOC100
1-port RJ45
1-Port Coaxial

Surge Protection



BC-5010
Surge Protection Ethernet
1-port RJ45 10/100M to
1-port RJ45 10/100M



BC-PV101
Surge Protection Ethernet, POE
1-port RJ45 10/100/1000M to
1-port RJ45 10/100/1000M



BC-5052
Surge Protection Video
1-port BNC to
1-port BNC



BC-5053
Surge Protection RS-485
1-port RJ485 to
1-port RJ485

Power Supply



BC-75-48
Input 85-264 VAC to 48 VDC,
1.6A, 76W Industrail Din-Rail
Power Supply



BC-120-48
Input 176-264 VAC to 48 VDC,
2.5A, 120W Industrail Din-Rail
Power Supply



BC-45-12
Input 100-240 VAC to 12 VDC,
3A Industrail Din-Rail
Power Supply



BC-12V3A
Input 100-240 VAC to 12 VDC,
3A Power Adapter



BC-12V1A
Input 100-240 VAC to 12 VDC,
1.5A Power Adapter



CCTV video media converter, AHD/TVI/CVI

(ตัวแปลงสัญญาณไฟฟ้าเป็นแสงใยแก้วนำแสงสำหรับกล้อง CCTV)

720P HD



BC-TVI0100-720-VT/VR
1-Port AHD 720P to
1-Port Fiber, 20Km

BC-TVI0101-720-VT/VR
1-Port AHD 720P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0200-720-VT/VR
2-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI0201-720-VT/VR
2-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0400-720-VT/VR
4-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI0401-720-VT/VR
4-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0800-720-VT/VR
8-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI0801-720-VT/VR
8-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI1600-720-VT/VR
16-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI1601-720-VT/VR
16-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485

1080P HD



BC-TVI0100-1080-VT/VR
1- Port AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0101-1080-VT/VR
1-Port AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0200-1080-VT/VR
2-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0201-1080-VT/VR
2-Ports AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0400-1080-VT/VR
4-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0401-1080-VT/VR
4-Port AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0800-1080-VT/VR
8-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0801-1080-VT/VR
8-Ports AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI1600-1080-VT/VR
16-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI1601-1080-VT/VR
16-Ports AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



IP and CCTV camera, outdoor/indoor

CCTV 720P / 1.3MP



BC-AHD720P-DO
Sony 1.3MP / 720P,
AHD / ANALOG
3.6mm Len, IR 20M, IP66



BC-AHD720P-BU
Sony 1.3MP / 720P,
AHD / ANALOG
3.6mm Len, IR 20M, IP66



BC-AHD720P-50
Sony 1.3MP / 720P,
AHD / CVI, TVI / ANALOG
2.8-12mm Len, IR 50M, IP66



BC-AHD720P-WC
Sony 1.3MP / 720P,
AHD / CVI, TVI / ANALOG
2.8-12mm Len, IR 50M, IP66

IP 1080P / 2.0MP



BC-IP36
Sony 2.0MP / 1080P
IP camera, Onvif
3.6mm. Len, IR 30M, IP66



BC-IP2812IN
Sony 2.0MP / 1080P
IP camera, Onvif
2.8-12mm. Len, IR 50M, IP66



BC-IP2812OUT
Sony 2.0MP / 1080P
IP camera, Onvif
2.8-12mm. Len, IR 40M, IP66

CCTV 1080P / 2.0MP



BC-4IN1DO-30
Sony 2.0MP / 1080P
AHD / CVI, TVI / ANALOG
2.8-12mm. Len, IR 30M, IP66



BC-4IN1BU-30
Sony 2.0MP / 1080P
AHD / CVI, TVI / ANALOG
2.8-12mm. Len, IR 30M, IP66



BC-4IN1BU-28
Sony 2.0MP / 1080P
AHD / CVI, TVI / ANALOG
2.8mm. Len, IR 30M, IP66

NVR recorder 1080P / 2.0MP



BC-AHD04
DVR recorder
Support AHD / CVI / TVI /
ANALOG / IP 4 CH,
5 in 1 Hybride DVR / NVR / HVR



BC-1080P8
DVR recorder
Support AHD / CVI / TVI /
ANALOG / IP 8 CH,
5 in 1 Hybride DVR / NVR / HVR



BC-1080P16
DVR recorder
Support AHD / CVI / TVI /
ANALOG / IP 16 CH,
5 in 1 Hybride DVR / NVR / HVR



Wifi-Circuit Breaker, Contactor, RCBO and Serial Converter

(ไวไฟเบรกเกอร์และคอนแทก, ตัวแปลงสัญญาณแบบ Serial Control)

WiFi Breaker



BC-W50A

WiFi-Circuit Breaker Remote Control,
1P + N 50A 19mm, DIN-Rail
WiFi เบรกเกอร์ เปิด-ปิด ระยะไกลผ่าน WiFi หรือ 4G ด้วยมือถือได้ทั่วโลก

RS-232/RS-422/RS-485

Serial Device Server, converter



BC-301

1-Port RS232/422/485 to
1-Port 10/100Base-Tx Ethernet



BC-SMSC20KM

1-Port RS232/422/485 to
1-Port Duplex-FO/SC, 1310nm,
MM-2Km and SM-20Km



BC-SMSC20KM-1310T

1-Port RS232/422/485 to
1-Port Simplex-FO/SC, Bidi
1310/1550nm 20Km

BC-SMSC20KM-1550T
1-Port RS232/422/485 to
1-Port Simplex-FO/SC, Bidi
1550/1310nm 20Km

Contactor



BC-D25A

Delay Contactor, 25A 2P 18mm,
1NO+1NC 220V, Din-Rail



BC-D63A

Delay Contactor, 63A 2P 36mm,
1NO+1NC 220V, Din-Rail

RCBO

Residual current circuit breaker with overcurrent protection



002206

1P 25A 30mA 6KA Curve C,
Electronic type อุปกรณ์ป้องกันไฟฟ้ช, ไฟเกิน, ไฟดูดหรือไฟรั่ว



002106

2P 32A 30mA 6KA Curve C,
Electromagnetic type อุปกรณ์ป้องกันไฟฟ้ช, ไฟเกิน, ไฟดูดหรือไฟรั่ว



บริษัทฯ ก้าวเข้าสู่ปีที่ 22

โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)

WWW.NCSNETWORK.COM