

PRICE LIST

AOC

DAC

Cable



บริษัท ก้าวเข้าสู่ปีที่ 25

โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)
WWW.NCSNETWORK.COM

AOC

Active Optical Cable

Active Optical Cable 10G SFP+ Active Optical Cable, AOC MMF 850nm

- Features**
- Supports 10.3125Gbps bit rate
 - Available in lengths up to 100m
 - Hot-pluggable SFP+ cable ends
 - SFP+ housing with enhanced EMI shielding
 - Pre-terminated twin axial cable / fiber cable
 - Single 3.3V power supply
 - Low power consumption
 - Operating case temperature 0°C to +70°C
- Application**
- 10G Ethernet
 - 10G Fiber Channel over Ethernet
 - Applicable to 1X QDR / 1X DDR / 1x SDR Infiniband
 - High capacity IO with SFP+ interface
 - Data center and in-rack connection
- Standard**
- SFF-8431 SFP+ Electrical MSA
 - SFF-8432 SFP+ Mechanical MSA
 - RoHS compliant



Model: 10G Series	Descriptions	Price
AOC-SFP+10G-01	AOC SFP+10G 850nm 1m	1,427
AOC-SFP+10G-03	AOC SFP+10G 850nm 3m	1,459
AOC-SFP+10G-05	AOC SFP+10G 850nm 5m	1,501
AOC-SFP+10G-07	AOC SFP+10G 850nm 7m	1,533
AOC-SFP+10G-10	AOC SFP+10G 850nm 10m	1,586
AOC-SFP+10G-15	AOC SFP+10G 850nm 15m	1,691
AOC-SFP+10G-20	AOC SFP+10G 850nm 20m	1,797
AOC-SFP+10G-25	AOC SFP+10G 850nm 25m	1,850
AOC-SFP+10G-30	AOC SFP+10G 850nm 30m	1,935

Active Optical Cable 25G SFP28 Active Optical Cable, AOC MMF 850nm

- Features**
- Supports 25Gbps data rate
 - Maximum link length of 70m on OM3 MMF and 100m on OM4 MMF
 - Support hot-pluggable
 - Excellent ESD protection
 - Single 3.3V power supply
 - Low power consumption
 - Operating case temperature 0°C to +70°C
- Application**
- 25GBASE-SR Ethernet
 - 32G Fiber Channel
- Standard**
- SFF-8431 Electrical MSA
 - SFF-8432 Mechanical MSA
 - RoHS compliant



Model: 25G Series	Descriptions	Price
AOC-SFP28-25G-01	AOC SFP28 25G 850nm 1m	2,907
AOC-SFP28-25G-03	AOC SFP28 25G 850nm 3m	2,939
AOC-SFP28-25G-05	AOC SFP28 25G 850nm 5m	2,960
AOC-SFP28-25G-07	AOC SFP28 25G 850nm 7m	3,013
AOC-SFP28-25G-10	AOC SFP28 25G 850nm 10m	3,066
AOC-SFP28-25G-15	AOC SFP28 25G 850nm 15m	3,171
AOC-SFP28-25G-20	AOC SFP28 25G 850nm 20m	3,224
AOC-SFP28-25G-25	AOC SFP28 25G 850nm 25m	3,330
AOC-SFP28-25G-30	AOC SFP28 25G 850nm 30m	3,383

Active Optical Cable 40G QSFP+ Active Optical Cable, AOC MMF 850nm

- Features**
- Four-channel full-duplex active optical cable
 - Transmission data rate up to 11.3Gbps per channel
 - High Reliability 850nm VCSEL technology
 - Available in standard lengths of 3, 5, 10, 15, 20, 30, 50, 100m
 - Hot Pluggable QSFP form factor
 - 3.3V power supply voltage
 - Low power consumption <1.5W
 - Operating case temperature 0°C to +70°C
- Application**
- Infiniband QDR/DDR/SDR
 - 40G Ethernet
 - Datacenter
 - 4G/8G/10G Fiber Channel
- Standard**
- Compliant to IEEE 802.3ba
 - Compliant with QSFP+ MSA
 - Compliant to SFF-8436



Model: 40G Series	Descriptions	Price
AOC-QSFP+40G-01	AOC QSFP+ 40G 850nm 1m	4,123
AOC-QSFP+40G-03	AOC QSFP+ 40G 850nm 3m	4,229
AOC-QSFP+40G-05	AOC QSFP+ 40G 850nm 5m	4,281
AOC-QSFP+40G-07	AOC QSFP+ 40G 850nm 7m	4,334
AOC-QSFP+40G-10	AOC QSFP+ 40G 850nm 10m	4,440
AOC-QSFP+40G-15	AOC QSFP+ 40G 850nm 15m	4,599
AOC-QSFP+40G-20	AOC QSFP+ 40G 850nm 20m	4,757
AOC-QSFP+40G-25	AOC QSFP+ 40G 850nm 25m	4,969
AOC-QSFP+40G-30	AOC QSFP+ 40G 850nm 30m	5,074

Model: 40G to 4 SFP+ Series	Descriptions	Price
AOC-QSFP+40G-4x10G-01	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 1m	4,863
AOC-QSFP+40G-4x10G-03	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 3m	4,969
AOC-QSFP+40G-4x10G-05	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 5m	5,074
AOC-QSFP+40G-4x10G-07	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 7m	5,127
AOC-QSFP+40G-4x10G-10	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 10m	5,180
AOC-QSFP+40G-4x10G-15	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 15m	5,391
AOC-QSFP+40G-4x10G-20	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 20m	5,550
AOC-QSFP+40G-4x10G-25	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 25m	6,237
AOC-QSFP+40G-4x10G-30	AOC QSFP+ 40G to 1xSFP+ 10G 850nm 30m	6,343

Active Optical Cable 100G QSFP28 Active Optical Cable, AOC MMF 850nm

- Features**
- 4 high-speed full duplex channels
 - Supports 103.1Gb/s aggregate bit rate
 - 4x25Gbps 850nm VCSEL laser
 - Available in lengths of 1 to 100 meters
 - Hot-pluggable QSFP28 form factor
 - QSFP28 MSA compliant
 - Low power dissipation<3.5W per cable end @ 2.5W with CDRs off
 - Operating environment temperature 0 - 70°C
- Application**
- 100 Gigabit Ethernet Links
 - Infiniband interconnect
 - Data center cabling infrastructure
 - High density connections between networking equipment
- Standard**
- SFF-8431 SFP+ Electrical MSA
 - SFF-8432 SFP+ Mechanical MSA
 - RoHS compliant



Model: 100G Series	Descriptions	Price
AOC-QSFP28-100G-01	AOC QSFP28 100G 850nm 1m	6,871
AOC-QSFP28-100G-03	AOC QSFP28 100G 850nm 3m	7,189
AOC-QSFP28-100G-05	AOC QSFP28 100G 850nm 5m	7,400
AOC-QSFP28-100G-07	AOC QSFP28 100G 850nm 7m	7,611
AOC-QSFP28-100G-10	AOC QSFP28 100G 850nm 10m	7,981
AOC-QSFP28-100G-15	AOC QSFP28 100G 850nm 15m	8,563
AOC-QSFP28-100G-20	AOC QSFP28 100G 850nm 20m	9,197
AOC-QSFP28-100G-25	AOC QSFP28 100G 850nm 25m	9,726
AOC-QSFP28-100G-30	AOC QSFP28 100G 850nm 30m	10,360

DAC

Direct Attach Cable

Direct Attach Cable
10G SFP+ Direct Attach Cable, DAC

- Features**
- Up to 10.3125Gbps data rate per channel
 - Up to 7m transmission
 - Single +3.3V power supply
 - RoHS Compliant
 - Operating temperature 0°C to +70°C

- Application**
- 10G Ethernet

- Standard**
- Compliant with MSA SFP+ specification(SFF-8432)



Model: 10G Series	Descriptions	Price
DAC-SFP+10G-01	DAC 10G SFP+ to SFP+ 1m	483
DAC-SFP+10G-02	DAC 10G SFP+ to SFP+ 2m	666
DAC-SFP+10G-03	DAC 10G SFP+ to SFP+ 3m	751
DAC-SFP+10G-04	DAC 10G SFP+ to SFP+ 4m	1,004
DAC-SFP+10G-05	DAC 10G SFP+ to SFP+ 5m	1,089
DAC-SFP+10G-07	DAC 10G SFP+ to SFP+ 7m	1,575
DAC-SFP+10G-10	DAC 10G SFP+ to SFP+ 10m	2,072

Direct Attach Cable
25G SFP28 Direct Attach Cable, DAC

- Features**
- Up to 25.88243 Gbps data rate
 - Up to 5m transmission
 - Hot-pluggable SFP 20PIN footprint
 - Improved Pluggable Form Factor(IPF)
 - Compliant with enhanced EMI/EMC performance
 - RoHS Compliant
 - Operating temperature 0°C to +70°C

- Application**
- 25G Ethernet

- Standard**
- Compliant with SFF-8432 and SFF-8402



Model: 25G Series	Descriptions	Price
DAC-SFP28-25G-01	DAC 25G SFP28 to SFP28 1m	1,163
DAC-SFP28-25G-02	DAC 25G SFP28 to SFP28 2m	1,374
DAC-SFP28-25G-03	DAC 25G SFP28 to SFP28 3m	1,480
DAC-SFP28-25G-04	DAC 25G SFP28 to SFP28 4m	2,326
DAC-SFP28-25G-05	DAC 25G SFP28 to SFP28 5m	2,537

Direct Attach Cable
40G QSFP+ Direct Attach Cable, DAC

- Features**
- Up to 10.3125Gbps data rate per channel
 - Up to 7m transmission
 - Single +3.3V power supply
 - RoHS Compliant
 - Operating temperature 0°C to +70°C

- Application**
- 40G Ethernet

- Standard**
- Compliant with SFF- 8436, SFF-8431, SFF-8432 and SFF-8472



Model: 40G Series	Descriptions	Price
DAC-QSFP+40G-01	DAC 40G QSFP+ to QSFP+, 1m	1,480
DAC-QSFP+40G-02	DAC 40G QSFP+ to QSFP+, 2m	1,744
DAC-QSFP+40G-03	DAC 40G QSFP+ to QSFP+, 3m	2,114
DAC-QSFP+40G-04	DAC 40G QSFP+ to QSFP+, 4m	2,537
DAC-QSFP+40G-05	DAC 40G QSFP+ to QSFP+, 5m	3,489
DAC-QSFP+40G-07	DAC 40G QSFP+ to QSFP+, 7m	4,546

Direct Attach Cable
100G QSFP28 Direct Attach Cable, DAC

- Features**
- Up to 28.3125Gbps data rate per channel
 - Up to 5m transmission
 - Single +3.3V power supply
 - RoHS Compliant
 - Operating temperature 0°C to +70°C

- Application**
- 100G Ethernet

- Standard**
- Compliant with the SFF-8665



Model: 100G Series	Descriptions	Price
DAC-QSFP28-100G-01	DAC 100G QSFP28 to QSFP28, 1m	2,357
DAC-QSFP28-100G-02	DAC 100G QSFP28 to QSFP28, 2m	2,643
DAC-QSFP28-100G-03	DAC 100G QSFP28 to QSFP28, 3m	2,907
DAC-QSFP28-100G-05	DAC 100G QSFP28 to QSFP28, 5m	6,026



@NCSNETWORK



บริษัท ก้าวเข้าสู่ปีที่ 25

โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)
WWW.NCSNETWORK.COM