

SECTION : D

# PRICE LIST

## COAXIAL & COPPER PRODUCT

### COAXIAL PRODUCT

### CONTROL CABLE PRODUCT

### TELEPHONE CABLE PRODUCT

### POWER CABLE PRODUCT

### SOLAR CELL PRODUCT

### LABEL PRINTER PRODUCT



# COAXIAL & COPPER PRODUCT



## COAXIAL PRODUCT

|                      |     |
|----------------------|-----|
| COAXIAL RG.6/U CABLE | D03 |
| BALAN CCTV           | D03 |
| POWER CONNECTOR      | D03 |
| SURGE PROTECTOR      | D03 |
| BNC CONNECTOR        | D04 |
| F CONNECTOR          | D04 |
| RF CONNECTOR         | D04 |
| BNC PATCH PANEL      | D05 |
| FACE PLATE AND BOX   | D05 |
| TOOLS COAXIAL        | D05 |
| LABEL PRINTER        | D06 |

## CONTROL CABLE PRODUCT

|                   |     |
|-------------------|-----|
| FIRE ALARM CABLE  | D07 |
| BAS CABLE         | D07 |
| MUTI PAIRS CABLE  | D08 |
| MULTI CORES CABLE | D08 |

## TELEPHONE CABLE PRODUCT

|                          |     |
|--------------------------|-----|
| STATION WIRE CABLE       | D09 |
| DROP WIRE CABLE          | D09 |
| TELEPHONE INDOOR CABLE   | D9  |
| TELEPHONE FIG.8 CABLE    | D10 |
| TELEPHONE AP ARMOR CABLE | D10 |


## POWER CABLE PRODUCT

|                     |     |
|---------------------|-----|
| VCT POWER CABLE     | D11 |
| VKF/VFF POWER CABLE | D11 |
| THWA POWER CABLE    | D11 |
| THW POWER CABLE     | D12 |
| VAF POWER CABLE     | D12 |
| VAF/G POWER CABLE   | D12 |

## SOLAR CELL PRODUCT

|                          |     |
|--------------------------|-----|
| SOLA PV CABLE            | D13 |
| SOLAR CONNECTOR          | D13 |
| SOLAR PUMP INVERTER      | D14 |
| BREAKER, SURGE PROTECTOR | D14 |
| SOLAR PATCH CORD CABLE   | D14 |

### COAXIAL RG.6 CABLE



| PART NO.    | DESCRIPTIONS                                                                                  | PRICES | UNITE  |
|-------------|-----------------------------------------------------------------------------------------------|--------|--------|
| RG0695-D    | 1 RG.6/U, 95% SHIELD, 75Ω, DOUBLE JACKET, LONG LENGTH, BLACK                                  | 17.70  | METERS |
| RG0695      | 1 RG.6/U, 95% SHIELD, 75Ω, SINGLE JACKET, LONG LENGTH, BLACK                                  | 8      | METERS |
| NO695       | 1 RG.6/U, 95% SHIELD, 75Ω, SINGLE JACKET, SHORT LENGTH, BLACK                                 | 6      | METERS |
| RG0695-MS   | 2 RG.6/U, 95% SHIELD, 75Ω, MESSENGER WIRE, SINGLE JACKET, LONG LENGTH, BLACK                  | 10.70  | METERS |
| NO695-MS    | 2 RG.6/U, 95% SHIELD, 75Ω, MESSENGER WIRE, SINGLE JACKET, SHORT LENGTH, BLACK                 | 7.90   | METERS |
| RG0695-2P   | 3 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 1.0 SQ.MM, LONG LENGTH, BLACK                      | 16.70  | METERS |
| NO695-2P    | 3 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 0.75 SQ.MM, SHORT LENGTH, BLACK                    | 12.70  | METERS |
| BC-NO6102P  | 3 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 0.50 SQ.MM, SHORT LENGTH, BLACK                    | 10     | METERS |
| RG0695-2PMS | 4 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 1.0 SQ.MM AND MESSENGER WIRE, LONG LENGTH, BLACK   | 21.40  | METERS |
| NO695-2PMS  | 4 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 0.75 SQ.MM AND MESSENGER WIRE, SHORT LENGTH, BLACK | 12.60  | METERS |

### BALAN, SURGE PROTECTOR CCTV



| PART NO.  | DESCRIPTIONS                                                           | PRICES | UNITE    |
|-----------|------------------------------------------------------------------------|--------|----------|
| BC-102CHD | CCTV BALAN BNC TO TERMINAL, SUPPORT HD/CVI/TVI 720/1080P               | 136    | 1 PAIRS. |
| BC-2001HD | CCTV BALAN BNC + POWER CABLE TO RJ45, SUPPORT HD/CVI/TVI 720/1080P     | 265    | 1 PAIRS. |
| BC-5052   | SURGE PROTECTOR 6KV, BNC TO BNC FOR CCTV                               | 640    | PCS.     |
| BC-6061   | POWER CONNECTOR 2.1MM x 5.5MM MALE, FOR CCTV                           | 40     | PCS.     |
| BC-6062   | POWER CONNECTOR 2.1MM x 5.5MM FEMALE, FOR CCTV                         | 40     | PCS.     |
| BC-7072   | POWER SPLITTER CABLE 1-IN MALE TO 2-OUT FEMALE 2.1MM x 5.5MM, FOR CCTV | 70     | PCS.     |
| BC-7074   | POWER SPLITTER CABLE 1-IN MALE TO 4-OUT FEMALE 2.1MM x 5.5MM, FOR CCTV | 70     | PCS.     |

### POWER CONNECTOR



### BNC CONNECTOR



| PART NO.  | DESCRIPTIONS                                                           | PRICES | UNITE |
|-----------|------------------------------------------------------------------------|--------|-------|
| CA002RG6  | BNC(MALE) CONNECTOR, FOR RG.6 CABLE                                    | 20     | PCS.  |
| CA002RG59 | BNC(MALE) CONNECTOR, FOR RG.59 CABLE                                   | 20     | PCS.  |
| CA002RG25 | BNC(MALE) CONNECTOR, FOR RG2.5C2V CABLE                                | 20     | PCS.  |
| CA007     | BNC(FEMALE) TO BNC(FEMALE) COUPLING, FOR RG.6/59/2.5C2V CABLE          | 33.40  | PCS.  |
| CA004     | BNC(FEMALE) TO BNC(FEMALE) COUPLING, FOR RG.6/59/2.5C2V CABLE          | 33.40  | PCS.  |
| BM057     | BNC(FEMALE) TO BNC(FEMALE) COUPLING KEYSTONE, FOR RG.6/59/2.5C2V CABLE | 60     | PCS.  |
| CA003     | BNC(FEMALE) TO BNC(FEMALE) COUPLING T, FOR RG.6/59/2.5C2V CABLE        | 33.40  | PCS.  |
| CA021     | BNC(MALE) TO F(FEMALE) ADAPTER, FOR RG.6/59/2.5C2V CABLE               | 24     | PCS.  |

### F CONNECTOR



| PART NO.  | DESCRIPTIONS                                                       | PRICES | UNITE |
|-----------|--------------------------------------------------------------------|--------|-------|
| CA008     | F(MALE) CONNECTOR, FOR RG.6 CABLE                                  | 6.70   | PCS.  |
| CA0085962 | F(MALE) CONNECTOR, FOR RG.59 CABLE                                 | 6.70   | PCS.  |
| CA00825   | F(MALE) CONNECTOR, FOR RG.2.5C2V CABLE                             | 6.70   | PCS.  |
| CA008CP   | F(MALE) CONNECTOR, FOR RG.6 CABLE, ชนิดบีบอัดเข้าหัว แบบกันน้ำ     | 17     | PCS.  |
| CA010     | F(FEMALE) TO F(FEMALE) COUPLING, FOR RG.6/59/2.5C2V CABLE          | 8      | PCS.  |
| BM055     | F(FEMALE) TO F(FEMALE) COUPLING KEYSTONE, FOR RG.6/59/2.5C2V CABLE | 30     | PCS.  |

### RF CONNECTOR



| PART NO. | DESCRIPTIONS                                                       | PRICES | UNITE |
|----------|--------------------------------------------------------------------|--------|-------|
| BM056    | RF(FEMALE) TO F(FEMALE) ADAPTER KEYSTONE, FOR RG.6/59/2.5C2V CABLE | 75     | PCS.  |
| CA020    | RF(FEMALE) TO F(FEMALE) ADAPTER, FOR RG.6/59/2.5C2V CABLE          | 24     | PCS.  |
| CA009    | RF(MALE) TO SRAEW BAR ADAPTER, FOR RG.6/59/2.5C2V CABLE            | 24     | PCS.  |



BNC PACH PANEL




| PART NO.    | DESCRIPTIONS                    | PRICES | UNITE |
|-------------|---------------------------------|--------|-------|
| BC-BP16BNCB | 16-PORTS BNC BLANK PANEL, BLACK | 400    | PCS.  |
| BC-BP16BNCW | 16-PORTS BNC BLANK PANEL, WHITE | 400    | PCS.  |

FACE PLATE AND BOX



| PART NO. | DESCRIPTIONS                                     | PRICES | UNITE |
|----------|--------------------------------------------------|--------|-------|
| BM014    | FACE PLATE 1-PORT RJ45, FOR KEYSTONE STYLE       | 23     | PCS.  |
| BM015    | FACE PLATE 2-PORT RJ45, FOR KEYSTONE STYLE       | 23     | PCS.  |
| BM316    | FACE PLATE 3-PORT RJ45, FOR KEYSTONE STYLE       | 33.40  | PCS.  |
| BM317    | FACE PLATE 4-PORT RJ45, FOR KEYSTONE STYLE       | 33.40  | PCS.  |
| BM016    | BOX 2" X 4", FOR FACE PLATE                      | 18.70  | PCS.  |
| BM058    | INSERT BLANK KEYSTONE STYLE สำหรับปิดช่องว่าง    | 10     | PCS.  |
| BM054    | INSERT BLANK KEYSTONE STYLE, FOR F TO F COUPLING | 10     | PCS.  |

COAXIAL TOOLS



| PART NO. | DESCRIPTIONS                             | PRICES | UNITE    |
|----------|------------------------------------------|--------|----------|
| BC-1011  | คีมเข้าหัว BNC RG.58, 59, 62, 11, 8, 213 | 136    | 1 PAIRS. |
| BC-1017  | คีมเข้าหัว BNC RG.58, 59, 62, 6          | 265    | 1 PAIRS. |
| BC-323   | คีมปลอกสาย RG.59, 62, 11, 7, 213, 8      |        |          |
| BC-352   | คีมปลอกสาย RG.59, 6, 11, 7 และ อื่นๆ     |        |          |
| BC-1018C | คีมปลอกสาย RG.58, 59, 62, 6              |        |          |
| BC-1118C | คีมปลอกสาย RG.8, 11, 213                 |        |          |

LABEL PRINTER



| PART NO.      | DESCRIPTIONS                                                             | PRICES | UNITE |
|---------------|--------------------------------------------------------------------------|--------|-------|
| M210          | เครื่องพิมพ์สติ๊กเกอร์                                                   | 5,600  | PCS.  |
| BMP21-AC      | POWER ADAPTER                                                            | 1,000  | PCS.  |
| M21-125-C-342 | ฉลิมห้ก PERMASLEEVE , ก้ดหค, 22AWG-16AWG, ก้ว้น 3.20MM, ยาว 2.13M, WHITE | 2,650  | PCS.  |
| M21-250-C-342 | ฉลิมห้ก PERMASLEEVE , ก้ดหค, 16AWG-8AWG, ก้ว้น 6.90MM, ยาว 2.13M, WHITE  | 2,650  | PCS.  |
| M21-375-C-342 | ฉลิมห้ก PERMASLEEVE , ก้ดหค, 12AWG-4AWG, ก้ว้น 10.70MM, ยาว 2.13M, WHITE | 2,700  | PCS.  |



| PART NO.     | DESCRIPTIONS                                                           | PRICES | UNITE |
|--------------|------------------------------------------------------------------------|--------|-------|
| M21-375-499  | ฉลิมห้ก MULTI-PURPOSE NYLON, TAPE/เฝ้บ, ก้ว้น 9.53MM, ยาว 4.88M, WHITE | 1,560  | PCS.  |
| M21-750-499  | ฉลิมห้ก MULTI-PURPOSE NYLON, TAPE/เฝ้บ, ก้ว้น 19.5MM, ยาว 4.88M, WHITE | 1,560  | PCS.  |
| M21-1000-427 | ฉลิมห้ก SELF-LAMINATING, TAPE/เฝ้บ, ก้ว้น 25.40MM, ยาว 4.27M, WHITE    | 1,990  | PCS.  |
| M21-1500-427 | ฉลิมห้ก SELF-LAMINATING, TAPE/เฝ้บ, ก้ว้น 38.10MM, ยาว 4.27M, WHITE    | 2,200  | PCS.  |



| PART NO.       | DESCRIPTIONS                                                           | PRICES | UNITE |
|----------------|------------------------------------------------------------------------|--------|-------|
| M21-750-595-BL | ฉลิมห้ก ALL-WEATHER VINYL, TAPE/เฝ้บ, ก้ว้น 19.05MM, ยาว 6.40M, BLUE   | 1,390  | PCS.  |
| M21-750-595-WT | ฉลิมห้ก ALL-WEATHER VINYL, TAPE/เฝ้บ, ก้ว้น 19.05MM, ยาว 6.40M, WHITE  | 1,390  | PCS.  |
| M21-750-595-YL | ฉลิมห้ก ALL-WEATHER VINYL, TAPE/เฝ้บ, ก้ว้น 19.05MM, ยาว 6.40M, YELLOW | 1,390  | PCS.  |
| M21-375-595-RD | ฉลิมห้ก ALL-WEATHER VINYL, TAPE/เฝ้บ, ก้ว้น 9.53MM, ยาว 6.40M, RED     | 1,390  | PCS.  |
| M21-375-595-YL | ฉลิมห้ก ALL-WEATHER VINYL, TAPE/เฝ้บ, ก้ว้น 9.53MM, ยาว 6.40M, YELLOW  | 1,390  | PCS.  |

## FIRE ALARM CABLE



### FIRE ALARM CABLE, 105C

#### APPLICATIONS/USAGES

- Fire Alarm System
- Smoke Detector
- Critical Central Fire System
- Control Circuits
- Notification Circuits

#### STANDARD

- UL 1685 NEC type FPL
- UL 1666 NEC type FPLR 300V

### PHYSICAL CONSTRUCTION & PROPERTIES

| PHYSICAL CONSTRUCTION | PROPERTIES                                                                         |
|-----------------------|------------------------------------------------------------------------------------|
| CONDUCTOR             | Solid Bare Copper                                                                  |
| INSULATION            | 105C Rated PVC (Black, Red)                                                        |
| CONFIG                | 2 Cores Twisted with Mylar Tape Wrapping                                           |
| SHIELDING             | AWG22 Stranded Tinned Copper Drain Wire, +100% Overlapped AL/P-Foil Turning Inward |
| JACKET                | 105 C Rated PVC [Red]                                                              |
| VOLTAGE RATING        | 300 V                                                                              |
| TEMP. RATING          | 105 C                                                                              |
| FLAME TEST            | VW-1 Vertical Flame Test                                                           |

| PART NO. | DESCRIPTIONS                                                           | PRICES | UNITE  |
|----------|------------------------------------------------------------------------|--------|--------|
| FA0116   | FIRE ALARM CABLE 16 AWG, UL1685, FPL, 1-PAIRS (100/200/300/500M./ROLL) | 31     | METERS |

## BAS CABLE



1 Pairs



2 Pairs

### BAS CABLE (BUILDING AUTOMATIC SYSTEM)

#### APPLICATIONS/USAGES

- Fire Alarm System
- Smoke Detector
- Critical Central Fire System
- Control Circuits
- Notification Circuits
- UL-RS485(1,000m. length)

#### STANDARD

- UL 1685 NEC type FPL

### PHYSICAL CONSTRUCTION & PROPERTIES

| PHYSICAL CONSTRUCTION | PROPERTIES                                                                          |
|-----------------------|-------------------------------------------------------------------------------------|
| CONDUCTOR             | Solid Bare Copper                                                                   |
| INSULATION            | 105C Rated PVC (Black, Red)                                                         |
| CONFIG                | 2 or 4 Cores Twisted with Mylar Tape Wrapping                                       |
| SHIELDING             | AWG22 Stranded Tinned Copper Drain Wire, + 100% Overlapped AL/P-Foil Turning Inward |
| JACKET                | 105 C Rated PVC [Red]                                                               |
| VOLTAGE RATING        | 300 V                                                                               |
| TEMP. RATING          | 105 C                                                                               |
| FLAME TEST            | VW-1 Vertical Flame Test                                                            |

| PART NO. | DESCRIPTIONS                                    | PRICES | UNITE  |
|----------|-------------------------------------------------|--------|--------|
| BAS0118  | TWISTED PAIRS SHIELD 1X18AWG, 1PAIRS (UL-RS485) | 16     | METERS |
| BAS0222  | TWISTED PAIRS SHIELD 2X22AWG, 2PAIRS (UL-RS485) | 18     | METERS |

## MULTI PAIRS CABLE



Double Shield



Single Shield

### MULTI-PAIRS CABLE UL-2919

#### APPLICATIONS/USAGES

- For internal wiring and external interconnection of electronic equipment
- RS-423, RS-232C Heavy-Duty

### PHYSICAL CONSTRUCTION & PROPERTIES, Multi-Pairs Cable, UL-2919

| PHYSICAL CONSTRUCTION | PROPERTIES                       |
|-----------------------|----------------------------------|
| CONDUCTOR             | 7/0.20 mm Stranded Tinned Copper |
| INSULATION            | Color Code PVC                   |
| CONFIG                | Multi-Pairs twisted to group     |
| SHIELDING             | 100% Overlapped AL/P-Foil        |
| JACKET                | PVC 70C Rated                    |
| VOLTAGE RATING        | 300V                             |
| TEMP. RATING          | 70C                              |
| FLAME TEST            | VW-1 Vertical Flame Test         |

| PART NO. | DESCRIPTIONS                                                                           | PRICES | UNITE  |
|----------|----------------------------------------------------------------------------------------|--------|--------|
| MP0224D  | MULTI-PAIRS CABLE TABLE UL-2919, 24 AWG DOUBLE SHIELD, 2PAIRS (100/200/300/500M./ROLL) | 23     | METERS |
| MP0224S  | MULTI-PAIRS CABLE TABLE UL-2919, 24 AWG SINGLE SHIELD, 2PAIRS (100/200/300/500M./ROLL) | 14     | METERS |
| MP0424S  | MULTI-PAIRS CABLE TABLE UL-2919, 24 AWG SINGLE SHIELD, 4PAIRS (100/200/300/500M./ROLL) | 25     | METERS |

## MULTI CORES CABLE



Double Shield

### MULTI-CORE CABLE UL-2464

#### APPLICATIONS/USAGES

- For internal wiring and external interconnection of electronic equipment
- RS-423, RS-232C Heavy-Duty

### PHYSICAL CONSTRUCTION & PROPERTIES, Multi-Core Cable, UL-2464

| PHYSICAL CONSTRUCTION | PROPERTIES                                                        |
|-----------------------|-------------------------------------------------------------------|
| CONDUCTOR             | 7/0.20 mm Stranded Tinned Copper                                  |
| INSULATION            | Color Code PVC                                                    |
| CONFIG                | Multi-Cable twisted to group                                      |
| SHIELDING             | 100% Overlapped AL/P-Foil + Tinned Copper Wire Braid Shield (65%) |
| JACKET                | PVC 70C Rated                                                     |
| VOLTAGE RATING        | 300V                                                              |
| TEMP. RATING          | 70C                                                               |
| FLAME TEST            | VW-1 Vertical Flame Test                                          |

| PART NO. | DESCRIPTIONS                                                                     | PRICES | UNITE  |
|----------|----------------------------------------------------------------------------------|--------|--------|
| MC0424D  | MULTI-CORE CABLE UL-2464, 24 AWG, DOUBLE SHIELD, 2PAIRS (100/200/300/500M./ROLL) | 22     | METERS |



STATION AND DROP WIRE CABLE



| PART NO.        | DESCRIPTIONS                                                       | PRICES | UNITE  |
|-----------------|--------------------------------------------------------------------|--------|--------|
| BCM-ST0224      | TIEV-CC STATION WIRE 2CX0.5MM. (100M./ROLL)                        | 3.40   | METERS |
| BCM-ST0424      | TIEV-CC STATION WIRE 4CX0.5MM. (100M./ROLL)                        | 6.25   | METERS |
| BCM-ST0422      | TIEV-CC STATION WIRE 4CX0.65MM. (100M./ROLL)                       | 9.35   | METERS |
| CC/DW-09001-BC  | DROP WIRE 2C X 0.9MM. (SOLID COPPER) 200M/ROLL                     | 12     | METERS |
| CC/DW-09001-CCS | DROP WIRE 2C X 0.9MM. (SOLID COPPER CLAD) 200M/ROLL                | 6      | METERS |
| CC/DW-15001-BC  | DROP WIRE 2C X 1.5 SQ.MM/16AWG (STRAND COPPER) 200M/ROLL           | 26     | METERS |
| CC/DW-25001-BC  | DROP WIRE 2C X 2.5 SQ.MM/14AWG (STRAND COPPER) 200M/ROLL           | 33     | METERS |
| C63001          | RJ11 TELEPHONE OUTLET JACK 4-PIN, ใช้ได้กับหน้ากากของหัวเลนทุกรุ่น | 45     | PCS.   |
| C63002          | RJ11 TELEPHONE PLUG 4-PIN หรือ ตัวผู้โทรศัพท์ 4 ขา                 | 2.50   | PCS.   |

TELEPHONE INDOOR CABLE



| PART NO.          | DESCRIPTIONS                               | 0.50 (24AWG) | 0.65 (22AWG) | UNITE  |
|-------------------|--------------------------------------------|--------------|--------------|--------|
| IN0524 / IN0522   | TELEPHONE INDOOR CABLE TPEV(IN), 5 PAIRS   | 30.80        | 43.40        | METERS |
| IN0624 / IN0622   | TELEPHONE INDOOR CABLE TPEV(IN), 6 PAIRS   | 35           | 49           | METERS |
| IN0824 / IN0822   | TELEPHONE INDOOR CABLE TPEV(IN), 8 PAIRS   | 46.20        | 67.20        | METERS |
| IN1024 / IN1022   | TELEPHONE INDOOR CABLE TPEV(IN), 10 PAIRS  | 51.80        | 77           | METERS |
| IN1524 / IN1522   | TELEPHONE INDOOR CABLE TPEV(IN), 15 PAIRS  | 75.60        | 113.40       | METERS |
| IN2024 / IN2022   | TELEPHONE INDOOR CABLE TPEV(IN), 20 PAIRS  | 95.20        | 145.60       | METERS |
| IN2524 / IN2522   | TELEPHONE INDOOR CABLE TPEV(IN), 25 PAIRS  | 116.20       | 179.20       | METERS |
| IN3024 / IN3022   | TELEPHONE INDOOR CABLE TPEV(IN), 30 PAIRS  | 145.60       | 217          | METERS |
| IN4024 / IN4022   | TELEPHONE INDOOR CABLE TPEV(IN), 40 PAIRS  | 196          | 287          | METERS |
| IN5024 / IN5022   | TELEPHONE INDOOR CABLE TPEV(IN), 50 PAIRS  | 224          | 350          | METERS |
| IN10024 / IN10022 | TELEPHONE INDOOR CABLE TPEV(IN), 100 PAIRS | 434          | 672          | METERS |
| IN15024 / IN15022 | TELEPHONE INDOOR CABLE TPEV(IN), 150 PAIRS | Call         | Call         | METERS |
| IN20024 / IN20022 | TELEPHONE INDOOR CABLE TPEV(IN), 200 PAIRS | 840          | 1,323        | METERS |

TELEPHONE OUTDOOR FIG.8 CABLE



| PART NO.          | DESCRIPTIONS                                  | 0.50 (24AWG) | 0.65 (22AWG) | UNITE  |
|-------------------|-----------------------------------------------|--------------|--------------|--------|
| FG0424 / FG0422   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 4 PAIRS   | Call         | Call         | METERS |
| FG0524 / FG0522   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 5 PAIRS   | Call         | Call         | METERS |
| FG0624 / FG0622   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 6 PAIRS   | 96           | 114          | METERS |
| FG0824 / FG0822   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 8 PAIRS   | Call         | Call         | METERS |
| FG1024 / FG1022   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 10 PAIRS  | 114          | 140          | METERS |
| FG1524 / FG1522   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 15 PAIRS  | 136          | 172          | METERS |
| FG2024 / FG2022   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 20 PAIRS  | 158          | 198          | METERS |
| FG2524 / FG2522   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 25 PAIRS  | 172          | 225          | METERS |
| FG3024 / FG3022   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 30 PAIRS  | 194          | 260          | METERS |
| FG4024 / FG4022   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 40 PAIRS  | Call         | Call         | METERS |
| FG5024 / FG5022   | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 50 PAIRS  | 268          | 375          | METERS |
| FG10024 / FG10022 | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 100 PAIRS | 448          | 665          | METERS |
| FG15024 / FG15022 | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 150 PAIRS | Call         | 965          | METERS |
| FG20024 / FG20022 | TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 200 PAIRS | 845          | 1,275        | METERS |

TELEPHONE AP ARMOR CABLE



| PART NO.          | DESCRIPTIONS                          | 0.50 (24AWG) | 0.65 (22AWG) | UNITE  |
|-------------------|---------------------------------------|--------------|--------------|--------|
| AP0424 / AP0422   | TELEPHONE OUTDOOR CABLE AP, 4 PAIRS   | Call         | Call         | METERS |
| AP0524 / AP0522   | TELEPHONE OUTDOOR CABLE AP, 5 PAIRS   | Call         | Call         | METERS |
| AP0624 / AP0622   | TELEPHONE OUTDOOR CABLE AP, 6 PAIRS   | 45           | 58           | METERS |
| AP0824 / AP0822   | TELEPHONE OUTDOOR CABLE AP, 8 PAIRS   | Call         | Call         | METERS |
| AP1024 / AP1022   | TELEPHONE OUTDOOR CABLE AP, 10 PAIRS  | 62           | 79           | METERS |
| AP1524 / AP1522   | TELEPHONE OUTDOOR CABLE AP, 15 PAIRS  | 79           | 107          | METERS |
| AP2024 / AP2022   | TELEPHONE OUTDOOR CABLE AP, 20 PAIRS  | 92           | 132          | METERS |
| AP2524 / AP2522   | TELEPHONE OUTDOOR CABLE AP, 25 PAIRS  | 110          | 152          | METERS |
| AP3024 / AP3022   | TELEPHONE OUTDOOR CABLE AP, 30 PAIRS  | 132          | 180          | METERS |
| AP4024 / AP4022   | TELEPHONE OUTDOOR CABLE AP, 40 PAIRS  | Call         | Call         | METERS |
| AP5024 / AP5022   | TELEPHONE OUTDOOR CABLE AP, 50 PAIRS  | 185          | 272          | METERS |
| AP10024 / AP10022 | TELEPHONE OUTDOOR CABLE AP, 100 PAIRS | 355          | 525          | METERS |
| AP15024 / AP15022 | TELEPHONE OUTDOOR CABLE AP, 150 PAIRS | 500          | 785          | METERS |
| AP20024 / AP20022 | TELEPHONE OUTDOOR CABLE AP, 200 PAIRS | 675          | 1,030        | METERS |

VCT POWER CABLE



| PART NO.    | DESCRIPTIONS           | 20M   | 30M   | 50M   | 100M  | UNITE |
|-------------|------------------------|-------|-------|-------|-------|-------|
| 2100-BLK-XX | IEC53: VCT2X1.0 SQ.MM. | 340   | 510   | 850   | 1,700 | ROLL. |
| 2150-BLK-XX | IEC53: VCT2X1.5 SQ.MM. | 452   | 678   | 1,130 | 2,260 | ROLL. |
| 2250-BLK-XX | IEC53: VCT2X2.5 SQ.MM. | 728   | 1,092 | 1,820 | 3,640 | ROLL. |
| 3100-BLK-XX | IEC53: VCT3X1.0 SQ.MM. | 462   | 693   | 1,155 | 2,310 | ROLL. |
| 3150-BLK-XX | IEC53: VCT3X1.5 SQ.MM. | 645   | 968   | 1,613 | 3,225 | ROLL. |
| 3250-BLK-XX | IEC53: VCT3X2.5 SQ.MM. | 1,038 | 1,557 | 2,595 | 5,190 | ROLL. |

VKF (VFF) POWER CABLE



| PART NO.     | DESCRIPTIONS                   | PRICES | UNITE |
|--------------|--------------------------------|--------|-------|
| VKF-2050-30  | IEC52 VKF 2X0.50 SQ.MM. (30M)  | 189    | ROLL. |
| VKF-2050-100 | IEC52 VKF 2X0.50 SQ.MM. (100M) | 590    | ROLL. |
| VKF-2010-50  | IEC53 VKF 2X1.00 SQ.MM. (50M)  | 540    | ROLL. |
| VKF-2010-100 | IEC53 VKF 2X1.00 SQ.MM. (100M) | 1,080  | ROLL. |

THWA POWER CABLE



| PART NO.        | DESCRIPTIONS                             | PRICES | UNITE |
|-----------------|------------------------------------------|--------|-------|
| CC-THWA-010-100 | TIS 293-2541: 450/750V: 10 SQ.MM. (100M) | 715    | ROLL. |
| CC-THWA-016-100 | TIS 293-2541: 450/750V: 16 SQ.MM. (100M) | 1,020  | ROLL. |
| CC-THWA-025-100 | TIS 293-2541: 450/750V: 25 SQ.MM. (100M) | 1,500  | ROLL. |
| CC-THWA-035-100 | TIS 293-2541: 450/750V: 35 SQ.MM. (100M) | 1,950  | ROLL. |
| CC-THWA-050-100 | TIS 293-2541: 450/750V: 50 SQ.MM. (100M) | 2,997  | ROLL. |
| CC-THWA-070-100 | TIS 293-2541: 450/750V: 70 SQ.MM. (100M) | 4,469  | ROLL. |
| CC-THWA-095-100 | TIS 293-2541: 450/750V: 95 SQ.MM. (100M) | 5,839  | ROLL. |

THW POWER CABLE



XX คือ สีของสายไฟดังนี้  
BK=BLACK, BL=BLUE, GN=GREEN, RD=RED, WT=WHITE, YL=YELLOW.

| PART NO.    | DESCRIPTIONS                                            | PRICES | UNITE  |
|-------------|---------------------------------------------------------|--------|--------|
| CC/THW015xx | THW POWER CABLE 1.5 SQ.MM. (100M./ROLL) "CENTURY CABLE" | 11.48  | METERS |
| CC/THW025xx | THW POWER CABLE 2.5 SQ.MM. (100M./ROLL) "CENTURY CABLE" | 17.50  | METERS |
| CC/THW040xx | THW POWER CABLE 4 SQ.MM. (100M./ROLL) "CENTURY CABLE"   | 27.60  | METERS |
| YA/THW015xx | THW POWER CABLE 1.5 SQ.MM. (100M./ROLL) "YAZAKI CABLE"  | 11.48  | METERS |
| YA/THW025xx | THW POWER CABLE 2.5 SQ.MM. (100M./ROLL) "YAZAKI CABLE"  | 17.50  | METERS |
| YA/THW040xx | THW POWER CABLE 4 SQ.MM. (100M./ROLL) "YAZAKI CABLE"    | 27.60  | METERS |
| YA/THW060xx | THW POWER CABLE 6 SQ.MM. (100M./ROLL) "YAZAKI CABLE"    | 42     | METERS |
| YA/THW10xx  | THW POWER CABLE 10 SQ.MM. (100M./ROLL) "YAZAKI CABLE"   | 69.02  | METERS |
| YA/THW16xx  | THW POWER CABLE 16 SQ.MM., BLACK "YAZAKI CABLE"         | 109.70 | METERS |
| YA/THW25xx  | THW POWER CABLE 25 SQ.MM., BLACK "YAZAKI CABLE"         | 172.60 | METERS |
| YA/THW35xx  | THW POWER CABLE 35 SQ.MM., BLACK "YAZAKI CABLE"         | 250.50 | METERS |
| YA/THW50xx  | THW POWER CABLE 50 SQ.MM., BLACK "YAZAKI CABLE"         | 330    | METERS |
| YA/THW70xx  | THW POWER CABLE 70 SQ.MM., BLACK "YAZAKI CABLE"         | 470    | METERS |

VAF POWER CABLE



XX คือตราสินค้าดังนี้  
YA = YAZAKI CABLE, FU=FUHRER CABLE

| PART NO.   | DESCRIPTIONS                     | PRICES | UNITE  |
|------------|----------------------------------|--------|--------|
| XX/VAF2001 | VAF 2 X 1.0 SQ.MM. (100M./ROLL)  | Call   | METERS |
| XX/VAF2015 | VAF 2 X 1.50 SQ.MM. (100M./ROLL) | Call   | METERS |
| XX/VAF2025 | VAF 2 X 2.50 SQ.MM. (100M./ROLL) | Call   | METERS |
| XX/VAF2040 | VAF 2 X 4.0 SQ.MM. (100M./ROLL)  | Call   | METERS |
| XX/VAF2060 | VAF 2 X 6.0 SQ.MM. (100M./ROLL)  | Call   | METERS |
| XX/VAF2100 | VAF 2 X 10 SQ.MM. (100M./ROLL)   | Call   | METERS |
| XX/VAF2160 | VAF 2 X 16 SQ.MM. (100M./ROLL)   | Call   | METERS |

VAF/G POWER CABLE



XX คือตราสินค้าดังนี้  
YA = YAZAKI CABLE, FU=FUHRER CABLE

| PART NO.     | DESCRIPTIONS                         | PRICES | UNITE  |
|--------------|--------------------------------------|--------|--------|
| XX/VAF-G2001 | VAF 2 X 1.0/1 SQ.MM. (100M./ROLL)    | 34.44  | METERS |
| XX/VAF-G2015 | VAF 2 X 1.50/1.5 SQ.MM. (100M./ROLL) | 45.08  | METERS |
| XX/VAF-G2025 | VAF 2 X 2.50/2.5 SQ.MM. (100M./ROLL) | 63     | METERS |
| XX/VAF-G2040 | VAF 2 X 4.0/4 SQ.MM. (100M./ROLL)    | 99.26  | METERS |
| XX/VAF-G2060 | VAF 2 X 6.0/6 SQ.MM. (100M./ROLL)    | 150.22 | METERS |
| XX/VAF-G2100 | VAF 2 X 10/10 SQ.MM. (100M./ROLL)    | 222.60 | METERS |
| XX/VAF-G2160 | VAF 2 X 16/16 SQ.MM. (100M./ROLL)    | 346.92 | METERS |



SOLA PV CABLE

เปลือก : ELECTRON BEAM CROSS-LINKED, XLPE WITH LSZH & FLAME RETARDANT COMPOUND  
 ฉนวน : ELECTRON BEAM CROSS-LINKED, XLPE WITH LSZH & FLAME RETARDANT COMPOUND  
 ฝักรัด : TINNED COPPER (ทองแดงชุบสังกะสีเคลือบเงิน)

คุณสมบัติพิเศษ :
 

- ทนน้ำฝนและรังสี UV
- สารหน่วงไฟ
- ปราศจากฮาโลเจน
- ทน UV

 ใช้สำหรับเชื่อมต่อระบบโซลาร์เซลล์  
 ทั้งภายในและภายนอกอาคาร และอุปกรณ์

ช่วงอุณหภูมิใช้งาน  
 -40°C ถึง 90°C  
 ทนอุณหภูมิสูงสุด 120°C  
 แรงดันไฟฟ้า 0.6/1 KV AC  
 และ 1.8 KV DC

| PART NO. | DESCRIPTIONS                                                               | PRICES | UNITE  |
|----------|----------------------------------------------------------------------------|--------|--------|
| BC-5013  | PV SOLAR POWER CABLE 1 X 2.5 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL   | 26.10  | METERS |
| BC-5014  | PV SOLAR POWER CABLE 1 X 2.5 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL | 26.10  | METERS |
| BC-5007  | PV SOLAR POWER CABLE 1 X 4.0 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL   | 34     | METERS |
| BC-5008  | PV SOLAR POWER CABLE 1 X 4.0 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL | 34     | METERS |
| BC-5009  | PV SOLAR POWER CABLE 1 X 6.0 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL   | 48.10  | METERS |
| BC-5010  | PV SOLAR POWER CABLE 1 X 6.0 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL | 48.10  | METERS |
| BC-5011  | PV SOLAR POWER CABLE 1 X 16 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL    | Call   | METERS |
| BC-5012  | PV SOLAR POWER CABLE 1 X 16 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL  | Call   | METERS |

SOLA CONNECTOR



| PART NO. | DESCRIPTIONS                             | PRICES | UNITE  |
|----------|------------------------------------------|--------|--------|
| BC-5001  | MC4 SOLAR CONNECTOR, (PAIRS)             | 40     | PAIRS. |
| BC-5002  | MC4 SOLAR PANEL CONNECTOR(PAIRS)         | 40     | PAIRS. |
| BC-5003  | MC4 T SOLAR CONNECTOR 2 TO 1, (PAIRS)    | 230    | PAIRS. |
| BC-5004  | MC4 T SOLAR CONNECTOR 3 TO 1, (PAIRS)    | 375    | PAIRS. |
| BC-5005  | MC4 T SOLAR CONNECTOR 4 TO 1, (PAIRS)    | 445    | PAIRS. |
| BC-5006  | MC4 Y SOLAR BRANCH CABLE 2 TO 1, (PAIRS) | 217    | PAIRS. |

SOLAR PUMP AND BREAKER

**SOLAR PUMP INVERTER**  
 SOLAR PUMP INVERTER DC/AC TO AC  
 INPUT DC MAX POWER 5KW/20A  
 INPUT DC MAX VOLTAGE 450VDC  
 INPUT AC MAX VOLTAGE 220V-240V/50Hz  
 OUTPUT RATE AC CURRENT 3.7KW/17A  
 OUTPUT AC MAX VOLTAGE 220V-240V/50Hz



| PART NO. | DESCRIPTIONS                                                                                                                                                                                                | PRICES | UNITE |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------|
| AA3700S  | SOLAR PUMP INVERTER DC/AC TO AC, INPUT DC MAX POWER 5KW/20A<br>INPUT DC MAX VOLTAGE 450 VDC, INPUT AC MAX VOLTAGE 220V-240V/35A<br>OUTPUT RATE AC CURRENT 3.7KW/17A, OUTPUT AC MAX VOLTAGE 220V-240V(1/3PH) | 24,000 | PCS.  |
| BC-W50A  | WIFI-CIRCUIT BREAKER REMOTE CONTROL 1P + N0, 50A, 19MM, DIN-RAIL<br>WIFI แบริ่งเกอร์ เปิด-ปิด ระยะไกลผ่าน WIFI หรือ 4G ด้วยมือถือได้ทั่วโลก                                                                 | 1,450  | PCS.  |
| BC-D25A  | CONTACTOR, 25A, 2P, 18MM 1NO + 1NC 220V, DIN-RAIL                                                                                                                                                           | 350    | PCS.  |
| BC-D63A  | CONTACTOR, 63A, 2P, 36MM 1NO + 1NC 220V, DIN-RAIL                                                                                                                                                           | 700    | PCS.  |
| 002206   | 1P, 25A, 30MA, 6KA, AC BREAKER ELECTRONIC TYPE<br>อุปกรณ์ป้องกันไฟช็อต, ไฟเกิน, ไฟดูดหรือไฟรั่ว                                                                                                             | 480    | PCS.  |
| 002106   | 2P, 32A, 30MA, 6KA, AC BREAKER ELECTROMAGNETIC TYPE<br>อุปกรณ์ป้องกันไฟช็อต, ไฟเกิน, ไฟดูดหรือไฟรั่ว                                                                                                        | 430    | PCS.  |
| 003109   | DC800V 2 POLE DC BREAKER 25A                                                                                                                                                                                | 310    | PCS.  |
| 004101   | DC1000V SURGE PROTECTOR 2 POLE 20KA-40KA                                                                                                                                                                    | 460    | PCS.  |

SOLA PATCH CORD CABLE



| PART NO. | DESCRIPTIONS                                           | PRICES | UNITE |
|----------|--------------------------------------------------------|--------|-------|
| BC-5015  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 3 M. RED    | 244    | PCS.  |
| BC-5016  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 3 M. BLACK  | 244    | PCS.  |
| BC-5017  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 5 M. RED    | 312    | PCS.  |
| BC-5018  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 5 M. BLACK  | 312    | PCS.  |
| BC-5019  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 10 M. RED   | 482    | PCS.  |
| BC-5020  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 10 M. BLACK | 482    | PCS.  |
| BC-5021  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , RED สั้นๆ   | 200+35 | PCS.  |
| BC-5022  | PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , BLACK สั้นๆ | 200+35 | PCS.  |
| BC-5023  | PATCH CORD SOLAR CABLE 6 MM <sup>2</sup> , RED สั้นๆ   | 200+50 | PCS.  |
| BC-5024  | PATCH CORD SOLAR CABLE 6 MM <sup>2</sup> , RED สั้นๆ   | 200+50 | PCS.  |

**BELCOMMS<sup>®</sup>**

**For all your networking needs.**

