



© NCSNETWORK

WWW.NCSNETWORK.COM



QUICK Product Guide ALL



Price List Catalog



บริษัท ก้าวเข้าสู่ปีที่ 25
โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)

QUICK

Product Guide

NETWORKS CABLING PRODUCT

NCS บริษัท ก้าวเข้าสู่ปีที่ 25
โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)

BELCOMMS[®]



© NCSNETWORK



Quick Guide



PRICE LIST

UTP Product Group

Category 5E Series

BEST SELLER 40025 • Cat5e • Indoor Cable • CMR Jacket	BEST SELLER 40029 • Cat5e • Outdoor Cable • Single Jacket PE	BEST SELLER 40030 • Cat5e • Outdoor Cable • Single Jacket PE • Messenger Wire	BEST SELLER 40026 • Cat5e • Outdoor Cable • Double Jacket PE	BEST SELLER 40027 • Cat5e • Outdoor Cable • Double Jacket PE • Messenger Wire
---	--	--	--	--

BM003 24Ports Patch Panel, 1U, CAT-5E
C62002 24Ports Patch Panel Unload, 1U, CAT-5E, Silver Color
C62002 24Ports Patch Panel Unload, 1U, CAT-5E, Black Color
BCM48P 48Ports Patch Panel, 1U, CAT5E
BM004 48Ports Patch Panel, 2U, CAT-5E

BM001
CAT-5E, 90°BM019
CAT-5E, 180°
 BM004-XX 1M, CAT5E
 BM006-XX 2M, CAT5E
 BM007-XX 3M, CAT5E
 xx = BL-BLUE, RD-Red, GN-Green, YL-Yellow, WH-White
BM010
CAT-5E Plug RJ45LOCK BOOT
FOR CAT5E Cable
 BC-02901 White
 BC-02902 Red
 BC-02903 Green
 BC-02904 Blue
 BC-02905 Yellow
 BM-03255 Transparent
BM014
1-PORTBM015
2-PORTBM316
3-PORTBM317
4-PORTCAP BOOT
FOR CAT5E/CAT6
 BT001 Ivory
 BT002 Red
 BT003 Green
 BT004 Blue
 BT005 Yellow
 BT006 Black
 BT007 Grange
 BT008 White
 BT009 Gray

Category 6 Series

BEST SELLER C61001 • Cat6 • Indoor Cable • CMR Jacket	BEST SELLER C61005 • Cat6 • Outdoor Cable • Single Jacket PE	New BEST SELLER C61003 • Cat6 • Outdoor Cable • Double Jacket PE	BEST SELLER C61004 • Cat6 • Outdoor Cable • Double Jacket PE • Messenger Wire	BEST SELLER BC-CAT62P075 • Cat6 copper clad • Outdoor Cable • Power Cable 2x.75sqmm. • Single Jacket PE
---	--	--	--	--

ใช้กับ Modular Jack SL series รุ่น C63221 และ C63222

C62221 24Ports Patch Panel Unload, 1U, CAT-6
C62002 24Ports Patch Panel Unload, 1U, CAT-6, Silver Color
C62002 24Ports Patch Panel Unload, 1U, CAT-6, Black Color
C62003 24Ports Patch Panel, 1U, CAT-6
C62004 48Ports Patch Panel, 1U, CAT-6
C62005 48Ports Patch Panel, 2U, CAT-6

C63004
CAT-6, 90°C63003
CAT-6, 180°
 C64002-XX 1M, CAT-6
 C64004-XX 2M, CAT-6
 C64005-XX 3M, CAT-6
 xx = BL-BLUE, RD-Red, GN-Green, YL-Yellow, WH-White
C67001
CAT-6 Plug RJ45LOCK BOOT
FOR CAT6 Cable
 BC-01901 White
 BC-01902 Red
 BC-01903 Green
 BC-01904 Blue
 BC-01905 Yellow
 BM-03260 Transparent(24AWG)
 BM-03265 Transparent(23AWG)


C63221 CAT-6, 180°



C63222 CAT-6, 180°



BM016 Box, 2x4


 C68001-XX 1M, CAT-6
 C68002-XX 2M, CAT-6
 C68003-XX 3M, CAT-6
 xx = BL-BLUE, RD-Red, GN-Green, YL-Yellow, WH-White
BM014
1-PORTBM015
2-PORTBM316
3-PORTBM317
4-PORTCAP BOOT
FOR CAT5E/CAT6
 BT001 Ivory
 BT002 Red
 BT003 Green
 BT004 Blue
 BT005 Yellow
 BT006 Black
 BT007 Grange
 BT008 White
 BT009 Gray

Category 6A Series



23370091
CAT6A 23AWG x 4P, LSZH,
500 Mhz, GRAY, (305M/ROLL)



35080100
CAT6A MODULAR JACK
SHIELDED T568A/B



35125030
CAT6A MODULAR PLUG
SHIELDED T568A/B



35050234
CAT6A PATCH PANEL 24P
SHIELDED WITH IDENTIFICATION ICON,
UNLOAD



35050398
CAT6A PATCH PANEL ANGLED 24P
SHIELDED WITH IDENTIFICATION ICON,
UNLOAD 1/2U



35085074 CAT6A F/UTP PATCH CORD, T568A/B, BULE 1.0 M LSZH
35085032 CAT6A F/UTP PATCH CORD, T568A/B, GRAY 1.0 M LSZH
35085120 CAT6A F/UTP PATCH CORD, T568A/B, BULE 2.0 M LSZH
35085069 CAT6A F/UTP PATCH CORD, T568A/B, GRAY 2.0 M LSZH
35085362 CAT6A F/UTP PATCH CORD, T568A/B, BULE 3.0 M LSZH
35085016 CAT6A F/UTP PATCH CORD, T568A/B, GRAY 3.0 M LSZH
35085426 CAT6A F/UTP PATCH CORD, T568A/B, BULE 5.0 M LSZH
35085048 CAT6A F/UTP PATCH CORD, T568A/B, GRAY 5.0 M LSZH
35085427 CAT6A F/UTP PATCH CORD, T568A/B, BULE 10 M LSZH
35085433 CAT6A F/UTP PATCH CORD, T568A/B, GRAY 10 M LSZH
35085202 CAT6A F/UTP PATCH CORD, T568A/B, BULE 15 M LSZH
35085257 CAT6A F/UTP PATCH CORD, T568A/B, GRAY 15 M LSZH
35085203 CAT6A F/UTP PATCH CORD, T568A/B, BULE 20 M LSZH
35085242 CAT6A F/UTP PATCH CORD, T568A/B, GRAY 20 M LSZH



35050305 FACE PLATE 1 P.
35050306 FACE PLATE 2 P.
35050090 FACE PLATE 4 P.
35050093 FACE PLATE 6 P.
35050371 BLIND COVER



35060301
PREMIUM FAST CONNECT V2 TOOL
(COMPATIBLE WITH CAT 6A)

ทำไมเราต้องใช้ CAT.6A !!!

เพราะ CAT.5E/CAT.6 รองรับการใช้งานแบบดัดโค้งที่ 1 Gbps เท่านั้น(ตามตาราง)
หากลูกค้าต้องการใช้งานที่สูงกว่า เราจำเป็นต้องเลือกใช้ CAT.6A เท่านั้น!!!!

ตารางแสดงคุณสมบัติสำหรับเลือกใช้สายแต่ละรุ่นดังนี้

Cable	Frequency support	Bandwidth Support
CAT.5E	100 Mhz	1 Gbps
CAT.6	250 Mhz	1 Gbps
CAT.6A	500 Mhz	10 Gbps
CAT.8	2000 Mhz	25 and 40 Gbps

Standards Compliance

TIA-568-C.2, ANSI/TIA 569, ISO/IEC 11801 and UL 444.

Fiber Optic Product Group

Mini-3 Twisted Tube ADSS / ARSS fiber Cable, Group



ติดตั้งภายนอก
Mini-3 TWISTED-TUBE
ALL-DIELECTRIC SELF-SUPPORT(ADSS)
SINGLE JACKET, CABLE
BC-0906MADS 06 cores SM
BC-0912MADS 12 cores SM



ติดตั้งภายนอก ป้องกันสัตว์กัดแทะ
Mini-3 TWISTED-TUBE ARMOUR
ANTI-RODENT SELF-SUPPORT(ARSS)
SINGLE JACKET, CABLE
BC-0906MARR 06 cores SM
BC-0912MARR 12 cores SM
BC-5506MARR 06 cores MM
BC-5512MARR 12 cores MM



ติดตั้งภายนอก ป้องกันสัตว์กัดแทะ
Mini-3 TWISTED TUBE ARMOUR
DROP-WIRE
SINGLE JACKET, CABLE
BC-MDA0906 06 cores SM Drop Wire
BC-MDA0912 12 cores SM, Drop Wire

Central Tube ADSS/ARSS Fiber Cable, Group



ติดตั้งภายนอก
Outdoor / Indoor, Central Tube,
All-Dielectric (AD),
Cable
BELL-MMD50U06C 06 cores MM
BELL-MMD50U12C 12 cores MM
BELL-SMD09U06C 06 cores SM
BELL-SMD09U12C 12 cores SM



ติดตั้งภายนอก ป้องกันสัตว์กัดแทะ
Outdoor / Indoor, Central Tube,
Anti-Rodent (AR),
Armored, Cable
BELL-MMA50U06C 06 cores MM
BELL-MMA50U12C 12 cores MM
BELL-SMA09U06C 06 cores SM
BELL-SMA09U12C 12 cores SM



ติดตั้งภายนอก ป้องกันสัตว์กัดแทะ
Outdoor Drop Wire,
Central Tube,
Armored, Cable
BC-DSA5506 06 cores MM, Drop Wire
BC-DSA5512 12 cores MM, Drop Wire
BC-DSA9506 06 cores SM, Drop Wire
BC-DSA9512 12 cores SM, Drop Wire

Multi-Loose Tube ADSS / ARSS fiber Cable, Group



ติดตั้งภายนอก
MULTI LOOSE TUBE
ALL-DIELECTRIC SELF-SUPPORT(ADSS)
SINGLE JACKET, CABLE
BELL-01-24SMS 24 cores SM
BELL-01-48SMS 48 cores SM




ติดตั้งภายนอก ป้องกันสัตว์กัดแทะ
MULTI LOOSE TUBE ARMOUR
ANTI-RODENT SELF-SUPPORT(ARSS)
SINGLE JACKET, CABLE
BELL-SMA09U24C 24 cores SM
BELL-SMA09U48C 48 cores SM




ติดตั้งภายนอก ป้องกันสัตว์กัดแทะ
MULTI LOOSE TUBE
ARMOUR FIG-8
SINGLE JACKET, CABLE
BC-MTA9824 24 cores SM, FIG-8
BC-MTA9848 48 cores SM, FIG-8


FTTH LSZH,IND00R/OUT00DR Fiber Cable, Group




BC-UFH9301 1 cores SM
BC-UFH9302 2 cores SM



BC-UFH9511M 1 cores SM
BC-UFH9512M 2 cores SM




FTTH-01SM9 1 cores SM
FTTH-02SM9 2 cores SM
FTTH-04SM9 4 cores SM



BC-UFH9501R 1 cores SM
BC-UFH9502R 2 cores SM
BC-UFH9504R 4 cores SM

Fiber Patch Cord Cable


SINGLEMODE (OS2)




► **P122**
ST-ST /UPC,
SM, DUPLEX
3.0mm, 3 Meters



► **P138**
SC-FC /UPC,
SM, DUPLEX
3.0mm, 3 Meters




► **P150**
LC-SC /UPC,
SM, DUPLEX
3.0mm, 3 Meters



► **SC/SC09SM150CM**
SC-SC /UPC,
SM, DUPLEX
3.0mm, 1.5 Meters



► **P126 / P126APC**
SC-SC /UPC or APC
SM, DUPLEX
3.0mm, 3 Meters




► **P142**
FC-FC /UPC,
SM, DUPLEX
3.0mm, 3 Meters



► **P154**
LC-LC /UPC,
SM, DUPLEX
3.0mm, 3 Meters




► **LC/SC09SM150CM**
LC-SC /UPC,
SM, DUPLEX
3.0mm, 1.5 Meters



► **P130**
ST-SC /UPC,
SM, DUPLEX
3.0mm, 3 Meters



► **P146**
LC-ST /UPC,
SM, DUPLEX
3.0mm, 3 Meters



► **P178**
LC-FC /UPC,
SM, DUPLEX
3.0mm, 3 Meters



► **LC/SC09SM15**
LC-SC /UPC,
SM, DUPLEX
3.0mm, 1.5 Meters

MULTIMODE (OM2, OM3, OM4)



► **P062**
ST-ST /UPC,
MM(OM2), DUPLEX
3.0mm, 3 Meters



► **P086**
LC-ST /UPC,
MM(OM2), DUPLEX
3.0mm, 3 Meters



► **P066XG**
SC-SC /UPC,
MM(OM3), DUPLEX
3.0mm, 3 Meters



► **P066OM4**
SC-SC /UPC,
MM(OM4), DUPLEX
3.0mm, 3 Meters



► **P066**
SC-SC /UPC,
MM(OM2), DUPLEX
3.0mm, 3 Meters



► **P090**
LC-SC /UPC,
MM(OM2), DUPLEX
3.0mm, 3 Meters



► **P090XG**
LC-SC /UPC,
MM(OM3), DUPLEX
3.0mm, 3 Meters



► **P090OM4**
LC-SC /UPC,
MM(OM4), DUPLEX
3.0mm, 3 Meters



► **P070**
ST-SC /UPC,
MM(OM2), DUPLEX
3.0mm, 3 Meters



► **P094**
LC-LC /UPC,
MM(OM2), DUPLEX
3.0mm, 3 Meters



► **P094XG**
LC-LC /UPC,
MM(OM3), DUPLEX
3.0mm, 3 Meters



► **P094OM4**
LC-LC /UPC,
MM(OM4), DUPLEX
3.0mm, 3 Meters

Fiber Pigtail Cable

SINGLEMODE (OS2)



► **PT05**
ST /UPC,
SM, SIMPLEX
3.0mm, 1.5 Meters



► **PTST09901**
ST /UPC,
SM, SIMPLEX
0.9mm, 1.0 Meters



► **PTFC09901**
FC /UPC,
SM, SIMPLEX
0.9mm, 1.0 Meters



► **PTLC09901**
LC /UPC,
SM, SIMPLEX
0.9mm, 1.0 Meters



► **PT14**
SC /UPC,
SM, SIMPLEX
3.0mm, 1.5 Meters



► **PTSC09901**
SC /UPC,
SM, SIMPLEX
0.9mm, 1.0 Meters



► **PTSC09901APC**
SC /APC,
SM, SIMPLEX
0.9mm, 1.0 Meters



► **PTLC09901APC**
LC /APC,
SM, SIMPLEX
0.9mm, 1.0 Meters



► **PT23**
FC /UPC,
SM, SIMPLEX
3.0mm, 1.5 Meters



► **PT30**
LC /UPC,
SM, SIMPLEX
3.0mm, 1.5 Meters



► **PTFC09901APC**
SC /APC,
SM, SIMPLEX
0.9mm, 1.0 Meters

MULTIMODE (OM2, OM3)



► **PT08**
ST /UPC,
MM(OM2), SIMPLEX
3.0mm, 1.5 Meters



► **PTST50901**
ST /UPC,
MM(OM2), SIMPLEX
0.9mm, 1.0 Meters



► **PTSC50X6901**
SC /UPC,
MM(OM3), SIMPLEX
0.9mm, 1.0 Meters



► **PT17**
SC /UPC,
MM(OM2), SIMPLEX
3.0mm, 1.5 Meters



► **PTSC50901**
SC /UPC,
MM(OM2), SIMPLEX
0.9mm, 1.0 Meters



► **PTLC50X6901**
LC /UPC,
MM(OM3), SIMPLEX
0.9mm, 1.0 Meters



► **PT23**
LC /UPC,
MM(OM2), SIMPLEX
3.0mm, 1.5 Meters

TEST/TPCAT6A/S
Fluke Testing UTP cable
CAT6A with report
(ขนาดสายแลน CAT6A)

งานเชื่อมต่อ และ ทดสอบสายใยแก้วนำแสง และ สายแลน



TERMI-ST
Terminate ST connector
Singlemode and Multimode
(งานปลายสายใยแก้วนำแสง)



TERMI-SC
Terminate SC connector
Singlemode and Multimode
(งานปลายสายใยแก้วนำแสง)



TERMI-FC
Terminate FC connector
Singlemode and Multimode
(งานปลายสายใยแก้วนำแสง)



TERMI-LC
Terminate LC connector
Singlemode and Multimode
(งานปลายสายใยแก้วนำแสง)



OTDR1300NM
OTDR Testing 1300nm
with report
(ขนาดสายใยแก้วนำแสง)



OTDR1550NM
OTDR Testing 1550nm
with report
(ขนาดสายใยแก้วนำแสง)



FUSION
Fiber Fusion
Singlemode and Multimode
(งานเชื่อมสายใยแก้วนำแสง)



TESTUTPCAT5E/S
Fluke Testing UTP cable
CAT5E with report
(ขนาดสายแลน CAT5E)



TESTUTPCAT6/S
Fluke Testing UTP cable
CAT6 with report
(ขนาดสายแลน CAT6)

Fiber Connector

CONNECTOR, EXPOXY TYPE ชนิดใช้ทา



► CON01MM2
ST/UPC, MM
SIMPLEX



► CON02MM2
SC/UPC, MM
SIMPLEX



► CON03MM2
FC/UPC, MM
SIMPLEX



► CON04MM2-DU
LC/UPC, MM
DUPLEX



► CON01SM2
ST/UPC, SM
SIMPLEX



► CON02SM2
SC/UPC, SM
SIMPLEX



► CON03SM2
FC/UPC, SM
SIMPLEX



► CON04SM2-DU
LC/UPC, SM
DUPLEX



► CON02SM2APC
SC/APC, SM
SIMPLEX



► CON03SM2APC
FC/APC, SM
SIMPLEX



► CON04SM2-DU/APC
LC/APC, SM
DUPLEX

Adapter Connector



► ADP01MM1
ST-ST/UPC, MM
SIMPLEX



► ADP02MM1
SC-SC/UPC, MM
DUPLEX



► ADP03MM1
FC-FC/UPC, MM
SIMPLEX



► ADP04MM1
LC-LC/UPC, MM
DUPLEX



► ADP01SM1
ST-ST/UPC, SM
SIMPLEX



► ADP02SM1
SC-SC/UPC, SM
DUPLEX



► ADP03SM1
FC-FC/APC, SM
SIMPLEX



► ADP04SM1
LC-LC/UPC, SM
DUPLEX



► ADP02SM1APC
SC-SC/APC, SM
DUPLEX



► ADP02SM1APC
SC-SC/APC, SM
DUPLEX



► ADP03SM1APC
FC-FC/APC, SM
SIMPLEX



► ADP04SM1APC
LC-LC/APC, SM
DUPLEX



► ADP02SM1S
SC-SC/UPC, SM
SIMPLEX

FTTH Connector, no-epoxy type, No-POLISHING

(ตัวต่อสายใยแก้วนำแสงแบบไม่ต้องขัดผิว)



BC-0204
SC/UPC FTTH CONNECTOR, SM
SIMPLEX



BC-0205
SC/APC FTTH CONNECTOR, SM
SIMPLEX



BC-0202
SC/UPC FTTH CONNECTOR, SM
SIMPLEX



BC-0203
SC/APC FTTH CONNECTOR, SM
SIMPLEX

Fiber Distribution Unit(FDU)



ขั้วใส่ Snap-Plate
จำนวน 3 ช่อง


FIBER RACK MOUNT ENCLOSURE,
SLIDE, WHITE COLOR
► RMS636 1-36 PORTS ST/FC
1-48 PORTS SC/LC



ขั้วใส่ Snap-Plate
จำนวน 3 ช่อง

FIBER RACK MOUNT ENCLOSURE,
SLIDE, BLACK COLOR
► RMS636B 1-36 PORTS ST/FC
1-48 PORTS SC/LC


MM/UPC, SNAP-PLATE



SM/UPC, SNAP-PLATE



SM/APC, SNAP-PLATE



มี Snap-Plate สองสี
คือสีขาวและสีดำ ให้เลือก



FIBER RACK MOUNT ENCLOSURE,
SLIDE, 3-SNAP PLATE, 1U
► RMS636CF 1-36 PORTS ST/FC
1-48 PORTS SC/LC

FIBER RACK MOUNT ENCLOSURE,
BEARING SLIDE, 6-SNAP PLATE, 3U
► RMS72 1-72 PORTS ST/FC
1-96 PORTS SC/LC



WALL MOUNT ENCLOSURE,
2-SNAP PLATE
► WM624 1-24 PORTS ST/FC
1-32 PORTS SC/LC



WALL MOUNT ENCLOSURE,
4-SNAP PLATE
► WM648 1-48 PORTS ST/FC
1-64 PORTS SC/LC



FIBER PANEL, WHITE
1-SNAP PLATE
► WM-003 1-12 PORTS ST/FC
1-16 PORTS SC/LC



FIBER PANEL, WHITE
2-SNAP PLATE
► WM-004 1-24 PORTS ST/FC
1-32 PORTS SC/LC



FIBER PANEL, WHITE
3-SNAP PLATE
► WM-005 1-36 PORTS ST/FC
1-48 PORTS SC/LC

Fiber Closure



CL002
Fiber Closure 24 cores



CL001
Fiber Closure 96 cores



CL003
Fiber Closure 144 cores
(Up to 24, 48, 72, 96, 120, 144 cores)



SP02
Sleeve Protector 60mm.



SP01
24 Slot Splice Tray
► SP01-24CL 24 Slot Splice Tray ใช้กับ CL001



BC-3061A
12 Slot Splice Tray
BC-3062A
24 Slot Splice Tray

QUICK

Product Guide

NETWORKS CABLING PRODUCT

NCS บริษัทท้าวเข้าสู่ปีที่ 25
โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)

BELCOMMS[®]



© NCSNETWORK

Coaxial Product Group

สายพอยแบบอ่อน

สายพอยแบบแข็ง

Long length

Long length

Long length

Long length

Long length

Long length

Long length

Short length

Short length

Short length

Long length

Long length

RG666D RG-6/U

RG6695F RG-6/U

RG6695 RG-6/U

RG6695-D RG-6/U

RG6695-BC RG-6/U

RG6695-MS RG-6/U

RG6695-2P RG-6/U

RG6695-2PMS RG-6/U

N0695 RG-6/U

BC-N06102P RG-6/U

N0695-2P RG-6/U

RG1195 RG-11/U

RG1195-MS RG-11/U

CA007 BNC to BNC Coupling

CA002R66 RG6 CA002R659 RG659 CA002R625 RG2.5C2V

CA004 BNC to BNC Coupling

CA003 BNC T-Connector

CA010 F to F Coupling

CA008 RG6 CA0085962 RG659 CA00825 RG2.5C2V

CA008CP F for RG6 Water proof

CA021 F Male to BNC Male Adapter

CA020 F Male to RF Female Adapter

CA009 RF male TV for RG6/59

CA011 F 1 to 3 way TV splitter

BM054 RF to F female Keystone RJ45

BM056 RF to F female Keystone RJ45

BM058 Insert Blank Keystone RJ45

BM015 2-ports Face Plate

BM317 4-ports Face Plate

BM055 F to F female Keystone RJ45

BM057 BNC to BNC female Keystone RJ45

BM014 1-port Face Plate

BM316 3-ports Face Plate

BM016 2" x 4" Box

BC-BP16BNCW 16-Port BNC Blank Panel, Withe color

BC-BP16BNCB 16-Ports BNC Blank Panel, Black color

C62002 24-Ports RJ45 Blank Panel, Silver/Black color

BC-6061 2.1mm. x 5.5mm. male CCTV Power Connector

BC-6062 2.1mm. x 5.5mm. female CCTV Power Connector

BC-102CHD CCTV Balan HD/ CVI/TVI 720/1080P

BC-2001HD CCTV Balan + Power HD/ CVI/TVI 720/1080P

BC-7072 2-way Power Cable (2.1mm. x 5.5mm)

BC-7074 4-way Power Cable (2.1mm. x 5.5mm)

POE-0925 PoE Splitter Cable (2.1mm. x 5.5mm + RJ45 Plug)

Telephone and Communication Product Group

Telephone cable group

Station Wire

Drop Wire

Multi-Pair Indoor

Multi-Pair Armored Outdoor

Multi-Pair Armored FIG-8 Outdoor

BCM-ST0224 2c x 0.50mm.
BCM-ST0424 4c x 0.50mm.
BCM-ST0422 4c x 0.65mm.

BTC-DPO209 2c x 0.90mm.
DW-09001-BC 2c x 0.90mm.
DW-09001-CCS 2c x 0.90mm.
DW-15001-BC 2c x 1.50mm.
DW-25001-BC 2c x 2.50mm.

Customer Call

Customer Call

Customer Call

Communication cable group

Fire Alarm

Multi-Core UL2464, Double Shield

Multi-Core UL2464, Single Shield

Multi-Pairs UL2919, Double Shield

Multi-Pairs UL2919, Single Shield

FA0116 1-pairs, 16AWG, UL-1685

MC0424D 2-pairs, 24AWG, UL-2464

Customer Call

MP0224D 2-pairs, 24AWG, UL-2919

MP0224S 2-pairs, 24AWG, UL-2919
MP0424S 4-pairs, 24AWG, UL-2919

C63001 RJ-11 Telephone outlet Keystone Jack, 4 pin

BM014 1-port plate

BM015 2-port plate

BM316 3-port plate

BM317 4-port plate

BM016 2" x 4" Box

Solar Cell Product Group



Solar Cable

BC-5007
PV Solar Power Cable 1x4.0MM²
Red 50M./roll

Solar Cable

BC-5008
PV Solar Power Cable 1 x 4.0MM²
Black 50M./roll



Solar Connector

BC-5001
MC4 Solar Connector
1-Pairs



Solar Panel Connector

BC-5002
MC4 Solar Panel Connector
1-Pairs



Solar Connector

BC-5003
MC4 T Solar Connector
2 to 1 (Pairs)



Solar Connector

BC-5004
MC4 T Solar Connector
3 to 1 (Pairs)



Solar Inverter Pump

AR3700S

Solar Pump Inverter DC/AC to AC
Input DC Max Power 5Kw/20A
Input DC Max Voltage 450 VDC
Input AC Max Voltage 220V-240V/35A
Output rate AC current 3.7Kw/17A,
Output AC Max Voltage 220V-240V(1/3PH)



Solar Connector

BC-5005
MC4 T Solar Connector
4 to 1 (Pairs)



Solar Branch Cable

BC-5006
MC4 Y Solar Branch Cable
2 to 1 (Pairs) 30cm. length.



WiFi Breaker

BC-W50A

WiFi-Circuit Breaker Remote Control,
1P + N 50A 19mm, DIN-Rail
WiFi เปรียบเสมือน เปิด-ปิด ระเบิดไฟผ่าน
WiFi หรือ 4G ด้วยมือถือได้ทั่วโลก



Circuit Breaker, RCBO

002106
2P 32A 30mA 6KA Curve C,
Electromagnetic type
อุปกรณ์ป้องกันไฟช็อต, ไฟเกิน,
ไฟดูดหรือไฟรั่ว



Circuit Breaker, RCBO

002206
1P 25A 30mA 6KA Curve C,
Electronic type
อุปกรณ์ป้องกันไฟช็อต, ไฟเกิน,
ไฟดูดหรือไฟรั่ว



Contactor

BC-D63A
Delay Contactor, 63A 2P 36mm,
1NO+1NC 220V,Din-Rail



Contactor

BC-D25A
Delay Contactor, 25A 2P 18mm,
1NO+1NC 220V,Din-Rail



Circuit Breaker

003109
DC800V 2 pole breaker
25A



Surge Protector

004101
DC1000V surge protector
2 pole 20KA-40KA

Electrical Wire Product Group

VCT Cable



ได้รับมาตรฐาน
ไอโซ 11-2553

สาย VCT มีสารพัดประโยชน์มากเพราะใช้เดินสายทั่วๆไป ไม่ว่าจะเป็นร้อยท่อ เดินในบรณ เดินติดกับ
หรือจะฝังดิน หรือจะร้อยท่อฝังดิน สายชนิดนี้ทำได้หมด

2100-BLK-xx 2 x 1.0 SQ.MM² 3100-BLK-xx 3 x 1.0 SQ.MM²
2150-BLK-xx 2 x 1.2 SQ.MM² 3150-BLK-xx 3 x 1.2 SQ.MM²
2250-BLK-xx 2 x 2.5 SQ.MM² 3250-BLK-xx 3 x 2.5 SQ.MM²

Packing: xx = 20,30,50,100 เมตร

THW-A Cable



ได้รับมาตรฐาน
ไอโซ 293-2541

เป็นที่ยอมรับใช้ใ้โรงงานอุตสาหกรรม และ บ้านพักอาศัย

CC-THWA-010-100 10 SQ.MM² (100M./ชุด)
CC-THWA-016-100 16 SQ.MM² (100M./ชุด)
CC-THWA-025-100 25 SQ.MM² (100M./ชุด)
CC-THWA-035-100 35 SQ.MM² (100M./ชุด)
CC-THWA-050-100 50 SQ.MM² (100M./ชุด)
CC-THWA-070-100 70 SQ.MM² (100M./ชุด)
CC-THWA-095-100 95 SQ.MM² (100M./ชุด)

ขนาดความยาวที่สั่งได้ดังนี้
50 เมตร.
100 เมตร.
500 เมตร.
1000 เมตร.



2 Cores Round Type



3 Cores Round Type with Ground

Cores	Color Code Insulation
2	Blue, Brown
3	Brown, Black, Grey
4	Brown, Black, Gray, Blue
5	Blue, Brown, Black, Grey, Black
2c with G	Blue, Brown, Green & Yellow



THW-A CROSS SECTION

THW cable



ได้รับมาตรฐาน
ไอโซ 11-2553

นิยมใช้เดินร้อยท่อ แต่ก็สามารถใช้เดินทั่วๆไป
หรือเดินลอยในอากาศก็ได้

XX/-THW015-XX 1 x 1.5 SQ.MM² (100M./ชุด)
XX/-THW025-XX 1 x 2.5 SQ.MM² (100M./ชุด)
XX/-THW040-XX 1 x 4 SQ.MM² (100M./ชุด)
XX/-THW060-XX 1 x 6 SQ.MM² (100M./ชุด)

XX/-THW10-XX 1 x 10 SQ.MM² (100M./ชุด)
XX/-THW16-XX 1 x 16 SQ.MM² (100M./ชุด)
XX/-THW25-XX 1 x 25 SQ.MM² (100M./ชุด)
XX/-THW35-XX 1 x 35 SQ.MM² (100M./ชุด)
XX/-THW50-XX 1 x 50 SQ.MM² (100M./ชุด)

xx/ = CC-Century, YA-Yazaki
xx = GN-Green, BL-Blue, BK-Black, WH-White,
YL-Yellow, RD-Red

VAF cable



ได้รับมาตรฐาน
ไอโซ 101-2553

เป็นสายที่ใช้กันมากตามบ้านทั่วๆไป ใช้เดินลอยติดกับ
หรือเดินยึดรัดสายกันภายในอาคาร

2 CORES	3 CORES
XX/VAF2001	XX/VAF-G2001 1.0 SQ.MM ² (100M./ชุด)
XX/VAF2015	XX/VAF-G2015 1.5 SQ.MM ² (100M./ชุด)
XX/VAF2025	XX/VAF-G2025 2.5 SQ.MM ² (100M./ชุด)
XX/VAF2040	XX/VAF-G2040 4.0 SQ.MM ² (100M./ชุด)
XX/VAF2060	XX/VAF-G2060 6.0 SQ.MM ² (100M./ชุด)
XX/VAF2100	XX/VAF-G2100 10 SQ.MM ² (100M./ชุด)
XX/VAF2160	XX/VAF-G2160 16 SQ.MM ² (100M./ชุด)

xx = YA-Yazaki, FU-Fuhrer

VKF cable



ได้รับมาตรฐาน
ไอโซ 11-2553

VKF-2050-30 2X0.5 SQ.MM² (30M./ชุด)
VKF-2050-100 2X0.5 SQ.MM² (100M./ชุด)
VKF-2010-50 2X1.0 SQ.MM² (50M./ชุด)
VKF-2010-100 2X1.0 SQ.MM² (100M./ชุด)



Cores	Color Code Insulation
2	Brown, Blue
3	Brown, Blue, Green



Cores	Color Code Insulation
2	Brown, Blue

Cabinet Rack Product Group

ตู้เหล็กกันน้ำภายนอกอาคาร

หลังคาพิชิตไวรัส-ภายนอกอาคาร 4 นิ้ว



ตู้สองชั้น กันน้ำ

BC-290640	กว้าง x ลึก x สูง
BC-290940	60 x 40 x 48cm.
BC-291240	60 x 40 x 61.5cm.
BC-290650	60 x 50 x 48cm.
BC-290950	60 x 50 x 61.5cm.
BC-291250	60 x 50 x 75cm.
BC-290660	60 x 60 x 48cm.
BC-290960	60 x 60 x 61.5cm.
BC-291260	60 x 60 x 75cm.

หลังคาพิชิตไวรัส-ภายนอกอาคาร 4 นิ้ว



ตู้สองชั้น กันน้ำ

สูง x กว้าง x ลึก

BC-9012H	68 x 46 x 25cm.
----------	-----------------

หลังคาพิชิตไวรัส-ภายนอกอาคาร 4 นิ้ว



ตู้ชั้นเดียว กันน้ำ

สูง x กว้าง x ลึก

BC-9002	68 x 43 x 16.3cm.
BC-9004	75 x 50 x 16.3cm.

หลังคาพิชิตไวรัส-ภายนอกอาคาร 4 นิ้ว



ตู้ชั้นเดียว กันน้ำ

สูง x กว้าง x ลึก

BC-90221	35.6 x 30 x 17.4cm.
----------	---------------------

หลังคาพิชิตไวรัส-ภายนอกอาคาร 4 นิ้ว



หน้าต่าง 19 นิ้ว กันน้ำ

สูง x กว้าง x ลึก

BC-195450	50.7 x 56 x 40cm.	6U
BC-195468	68 x 56 x 40cm.	10U
BC-195475	75 x 56 x 40cm.	12U

ตู้เหล็กภายในอาคาร

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว

Export Modern Series



สีทูโทนพิเศษ

NC-WR6U40	กว้าง x ลึก x สูง	6U
NC-WR9U40	60 x 40 x 48.5cm.	9U
NC-WR12U40	60 x 40 x 62cm.	12U
NC-WR6U50	60 x 50 x 35cm.	6U
NC-WR9U50	60 x 50 x 48.5cm.	9U
NC-WR12U50	60 x 50 x 62cm.	12U
NC-WR6U60	60 x 60 x 35cm.	6U
NC-WR9U60	60 x 60 x 48.5cm.	9U
NC-WR12U60	60 x 60 x 62cm.	12U

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว

Export Premium Series



สีทูโทนพิเศษ

NC-60406	กว้าง x ลึก x สูง	6U
NC-60409	60 x 40 x 45.5cm.	9U
NC-60412	60 x 40 x 59cm.	12U
NC-60506	60 x 50 x 32cm.	6U
NC-60509	60 x 50 x 45.5cm.	9U
NC-60512	60 x 50 x 59cm.	12U
NC-60606	60 x 60 x 32cm.	6U
NC-60609	60 x 60 x 45.5cm.	9U
NC-60612	60 x 60 x 59cm.	12U

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว

Export High Class Series



สีเทาและสีดำ

NC-54406HB (Black)	กว้าง x ลึก x สูง
NC-54406HW (White)	54 x 40 x 35cm. 6U

ตู้เหล็กชั้นพื่นภายในอาคาร

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว



PREMIUM CLASSIC

NC-60615	กว้าง x ลึก x สูง	15U
NC-60627	60 x 60 x 139cm.	27U
NC-60636	60 x 60 x 179cm.	36U
NC-60642	60 x 60 x 205cm.	42U
NC-60815	60 x 80 x 85cm.	15U
NC-60827	60 x 80 x 139cm.	27U
NC-60836	60 x 80 x 179cm.	36U
NC-60842	60 x 80 x 205cm.	42U

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว



EXPORT MODERN

NC-15U66	กว้าง x ลึก x สูง	15U
NC-27U66	60 x 60 x 139cm.	27U
NC-36U66	60 x 60 x 179cm.	36U
NC-42U66	60 x 60 x 205cm.	42U
NC-15U68	60 x 80 x 85cm.	15U
NC-27U68	60 x 80 x 139cm.	27U
NC-36U68	60 x 80 x 179cm.	36U
NC-42U68	60 x 80 x 205cm.	42U

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว

Wall Rack, Japan Style



ประพืดพื้นที่

รุ่นไปบิพื้นที่ติดตั้ง UPS

กว้าง x ลึก x สูง

NWR17-66

60 x 17 x 60cm. 2U

NWR26-66

60 x 26 x 60cm. 4U

NWR35-66

60 x 35 x 60cm. 6U

รุ่นไปบิพื้นที่ติดตั้ง UPS

กว้าง x ลึก x สูง

NWR17-675

60 x 17 x 75cm. 2U

NWR26-675

60 x 26 x 75cm. 4U

NWR35-675

60 x 35 x 75cm. 6U

อุปกรณ์ยึดบาน

กว้าง x ลึก x สูง

NWR0-1P

11.5 x 1.85 x 50cm.

NWR0-1U

48.2 x 25 x 4.40cm. 1U

NWR0-2U

48.2 x 25 x 8.80cm. 2U

ตู้เหล็กชั้นพื่นแบบเปิดภายในอาคาร

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว



OPEN CLASSIC RACK

NC-OP27U	กว้าง x สูง	27U
NC-OP36U	60 x 179.4cm.	36U
NC-OP39U	60 x 192.7cm.	39U
NC-OP42U	60 x 206.0cm.	42U
NC-OP45U	60 x 219.4cm.	45U

หลังคาพิชิตไวรัส-ภายในอาคาร 4 นิ้ว



OPEN PREMIUM RACK

NC-PM27U	กว้าง x สูง	27U
NC-PM36U	60 x 175cm.	36U
NC-PM39U	60 x 190cm.	39U
NC-PM42U	60 x 206.0cm.	42U
NC-PM45U	60 x 219.4cm.	45U

BLANK1U BLANK 1U

BLANK2U BLANK 2U

BLANK3U BLANK 3U

BLANK4U BLANK 4U

BLANK5U BLANK 5U

BLANK6U BLANK 6U

BLANK7U BLANK 7U

อุปกรณ์สำหรับติดตั้งภายในตู้



ถาดแบบไม่เลื่อน




ถาดแบบไม่เลื่อน




ถาดแบบเลื่อน



ถาดแบบเลื่อน



ถาดแบบไม่เลื่อน



แป้นเหล็กปิดหน้าตู้

NC-02045	ลึก 60ซม. สำหรับตู้ 60ซม.
NC-02065	ลึก 65ซม. สำหรับตู้ 80ซม.
NC-02075	ลึก 75ซม. สำหรับตู้ 90,100ซม.
NC-02095	ลึก 95ซม. สำหรับตู้ 110ซม.

NC-FS45	ลึก 45ซม. สำหรับตู้ 60ซม.
NC-FS60	ลึก 60ซม. สำหรับตู้ 80ซม.

NC-03045	ลึก 48ซม. สำหรับตู้ 60ซม.
NC-03065	ลึก 65ซม. สำหรับตู้ 80ซม.
NC-03075	ลึก 75ซม. สำหรับตู้ 90ซม.
NC-03095	ลึก 95ซม. สำหรับตู้ 100,110ซม.

NC-SS45	ลึก 45ซม. สำหรับตู้ 60ซม.
NC-SS60	ลึก 60ซม. สำหรับตู้ 80ซม.

NC-FS30	ลึก 30ซม. สำหรับตู้ WALL RACK
NC-01025	ลึก 25ซม. สำหรับตู้ WALL RACK

NC-01025	ลึก 25ซม. สำหรับตู้ WALL RACK
----------	-------------------------------



ราวไฟยาว 3 เมตร



ราวไฟยาว 3 เมตร



ราวจัดสาย



ชุดควบคุมพัดลม



พัดลมระบายอากาศ



เบ็ดยึดอุปกรณ์

NC-00004	UNIVERSAL 4 OUTLET(1.8M.)
NC-00006	UNIVERSAL 6 OUTLET
NC-00012	UNIVERSAL 12 OUTLET
NC-00020	UNIVERSAL 20 OUTLET

NC-APC4	UNIVERSAL 4 OUTLET(1.5M.)
NC-APC6	UNIVERSAL 6 OUTLET
NC-APC12	UNIVERSAL 12 OUTLET


WMP	Wire Management 1U
-----	--------------------

NC-05112	Thermostat Panel 2 outlet
----------	---------------------------


NC-ELF4	4" x 4" Ventilating 220 VAC
---------	-----------------------------

M610	6 x 1.0มิล. เบ็ดถักยึดตัวเบียด
M606	6มิล. แหวนพลาสติก
A/P	6 x 15มิล. เบ็ดถักยึดตัวเบียด

Accessories for Wiring Cable Product Group



EMT CONDUIT(ท่อเหล็ก)



IMC CONDUIT(ท่อเหล็ก)



FLEXIBLE CONDUIT(ท่อเหล็กอ่อน)



LIQUID TIGHT FLEXIBLE CONDUIT
(ท่อเหล็กอ่อนกันน้ำ)



uPVC CONDUIT(ท่อพีวีซี)



uPVC FLEXIBLE CONDUIT(ท่อพีวีซี)



HDPE CONDUIT(ท่อHDPE)



SLOT TRUNKING WIRE WAY(ตู้ร้อยสาย)



TRUNKING WIRE WAY(ตู้ร้อยสาย)



FLOOR DUCT WIRE WAY(ตู้ร้อยสาย)

Tool Networking Product Group



คีมปลอกสาย
FTTH

STR-01



คีมปลอก(USA)
125/250um

CFS-2



คีมปลอก
125/250um

CFS-3



เครื่องตัดใยแก้ว

FC-6S



ปากกาตัดใยแก้ว

CS-30-DE



ขยาย 400 เท่า
กล้อง

FMC-400x



เครื่องอบหัว
ใยแก้ว

F1-977220



กาวยกเข้าหัว
ใยแก้ว

353ND



แท่นพันหัว
ST/SC/FC

USA-01



Electrode
FSM 60S 70S 62S

ELT-01




ท่อ Buffer
900um

FBT900




กระดาษทำความสะอาด
ใยแก้ว

KM34155



กระดาษทรายขัดหัว
0.3um

F1-0109-03



กระดาษทรายขัดหัว
1 um

F1-0109-1



กระดาษทรายขัดหัว
3 um

F1-0109-3



กระดาษทรายขัดหัว
5 um

F1-0109-5



BC-1031
คีมเข้าสาย
RJ45 Jack
และ Patch Panel



BC-CR001
คีมเข้าหัว RJ45, RJ11 Plug

BC-1011




BC-1011
คีมเข้าหัว BNC
RG58, 59, 62, 11, 8, 213

BC-1017



BC-1017
คีมเข้าหัว BNC
RG58, 59, 62, 6, 7, 213, 8

BC-323



BC-323
คีมปลอกสาย
RG59, 62, 11, 7, 213, 8

BC-352



BC-352
คีมปลอกสาย
RG59, 6, 11, 7
และอื่นๆ

BC-1018C



BC-1018C
คีมปลอกสาย
RG58, 59, 62, 6

BC-1118C

BC-1118C
คีมปลอกสาย
RG8, 11213

Label Product Group



เครื่องพิมพ์
สติ๊กเกอร์บาร์โค้ด

M210
Printer Label



BMP21-AC
Power adapter


M21-125-C-342



PermaSleeve
Heat-Shrink Tubing
Width: 3.20mm, 22-16AWG
Length: 2.13M. White



PermaSleeve
Heat-Shrink Tubing
Width: 6.90mm, 16-8AWG
Length: 2.13M. White



PermaSleeve
Heat-Shrink Tubing
Width: 10.70mm, 12-4AWG
Length: 2.13M. White



Multi-Purpose Nylon
Width: 9.53mm.
Length: 4.88M. White



Multi-Purpose Nylon
Width: 19.05mm.
Length: 4.88M. White



M21-1000-427
Translucent vinyl
Width: 25.40mm.
Length: 4.27M. White



M21-1500-427
Self-Laminating
Wire Wraps
Width: 38.10mm.
Length: 4.27M. White

M21-750-595-BL



All-Weather Vinyl
Width: 19.05mm.
Length: 6.40M. Blue



All-Weather Vinyl
Width: 19.05mm.
Length: 6.40M. White



All-Weather Vinyl
Width: 19.05mm.
Length: 6.40M. Yellow



All-Weather Vinyl
Width: 19.05mm.
Length: 6.40M. Red



All-Weather Vinyl
Width: 19.05mm.
Length: 6.40M. Yellow

QUICK

Product Guide

NETWORKS ACTIVE PRODUCT



บริษัท ก้าวเข้าสู่ปีที่ 25
โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)

BELLCOMMS[®]



@NCSNETWORK

SFP Module Transceiver Product Group

สามารถใช้ได้กับตราสินค้าต่างดังนี้
CISCO, BELLCOMMS, 3COM, Allied Telesyn,
LINK, ZYXEL or another brand

100Mbps Speeds



SFP-100FX85-MM
SFP 155M, 850nm/MM, 2K m.



SFP-100FX20-SM
SFP 155M, 1310nm/SM, 20K m.



SFP-100FX20-SM-BCDI 1310
SFP 155M, 1310/1550nm, SM, 20K m.



SFP-100FX20-SM-BCDI 1550
SFP 155, 1550/1310nm, SM, 20K m.

1000Mbps Speeds



BC-GLC-T
1000Base-T SFP



CTM-LC0500-MM
SFP 1.25G, 850nm/MM, 550Meters



CTS-LC0020-SM
SFP 1.25G, 1310nm/SM, 20K m.
CTS-LC0040-SM
SFP 1.25G, 1310nm/SM, 40K m.
CTS-LC0080-SM
SFP 1.25G, 1550nm/SM, 80K m.



BC-BL3512-20
SFP 1.25G, Bidi 1310/1550nm, SM, 20K m.
BC-BL5312-20
SFP 1.25G, Bidi 1550/1310nm, SM, 20K m.
BC-BL3512-40
SFP 1.25G, Bidi 1310/1550nm, SM, 40K m.
BC-BL5312-40
SFP 1.25G, Bidi 1550/1310nm, SM, 40K m.
BC-BL3512-80
SFP 1.25G, Bidi 1490/1550nm, SM, 80K m.
BC-BL5312-80
SFP 1.25G, Bidi 1550/1490nm, SM, 80K m.



CTM-LCHP50-MM
SFP 1.25G, 850nm/MM, 550Meters
(HP series : J4858C)



CTM-LCHP10-SM
SFP 1.25G, 1310nm/SM, 10K m.
(HP series : J4859C)



BCHP-8512-02D-H3
SFP 1.25G, 850nm/MM, 550Meters
(HP series : JD118B)
BCHP-1312-10D-H3
SFP 1.25G, 1310nm/SM, 10K m.
(HP series : JD119B)

10Gbps Speeds



SFP-10G-30
SFP+ 10G, 850nm/MM, 300meters



SFP-10G-10
SFP+ 10G, 1310nm/SM, 10K m.



SFP-10G-05
SFP+ 10G/5/2.5/1G Base-T, RJ-45




BCHP-8596-02D-H3
SFP+ 10G, 850nm/MM, 300meters
(HP series : JD092B)



BCHP-1396-10D-H3
SFP+ 10G, 1310nm/SM, 10K m.
(HP series : JD094B)

Application:
SFP Module Fiber Wiring



Media Converter Fiber (Ethernet)

100Mbps Data Rate



CTM-RC0202-AUB
1-Port 100M Duplex-F0/SC,1310nm 2Km to
1-Port 100M UTP



CTS-RC0202-MINI
1-Port 100M Duplex-F0/SC,1310nm 20Km to
1-Port 100M UTP



CTS-RC0202-AUB
1-Port 100M Duplex-F0/SC,1310nm 20Km to
1-Port 100M UTP



CTS-RC0202-A-SCB
1-Port 100M Simplex-F0/SC,1310/1550nm 20Km to
1-Port 100M UTP
CTS-RC0202-B-SCB
1-Port 100M Simplex-F0/SC,1550/1310nm 20Km to
1-Port 100M UTP

100Mbps Data Rate, LFP function



CTS-SC0202-LFP
1-Port 100M Duplex-F0/SC,1310nm 20Km to
1-Port 100M UTP,LFP function



CTS-SC0240-LFP
1-Port 100M Duplex-F0/SC,1310nm 40Km to
1-Port 100M UTP,LFP function, 5VDC



CTS-SC040-LFP
1-Port 100M Duplex-F0/SC,1310nm 40Km to
1-Port 100M UTP,LFP function,12VDC



CTS-SC0120T-LFP
1-Port 100M Simplex-F0/SC,1310/1550nm 20Km to
1-Port 100M UTP,LFP function
CTS-SC0120R-LFP
1-Port 100M Simplex-F0/SC,1550/1310nm 20Km to
1-Port 100M UTP,LFP function

1000Mbps Data Rate



CSM-LC0202-AGB
1-Port 1000M SFP module to
1-Port 1000M UTP



CTM-SC0202-002
1-Port 1000M Duplex-F0/SC,850nm 0.5Km to
1-Port 1000M UTP



CTG-SC0220
1-Port 1000M Duplex-F0/SC,1310nm 20Km to
1-Port 1000M UTP



CTG-SC0202-T
1-Port 1000M Simplex-F0/SC,1310/1550nm 20Km to
1-Port 1000M UTP
CTG-SC0202-R
1-Port 1000M Simplex-F0/SC,1550/1310nm 20Km to
1-Port 1000M UTP

1000Mbps Data Rate, LFP function



CSM-LC0202-LFP
1-Port 1000M SFP module to
1-Port 1000M UTP, Enhance LFP function



CSM-SC0220-LFP
1-Port 1000M Duplex-F0/SC,1310nm 20Km to
1-Port 1000M UTP, Enhance LFP function



CTG-SFP1000
1-Port 10G SFP module to
1-Port 10G/5G/2.5G/1G/100M UTP



CSM-MCC014-AGB
14 Slot Chassis for Media,19"
2U,with Redundant Power Supply

Serial Media Converter



BC-301
1-Port RS232/422/485 to
1-Port 10/100Base-T Ethernet



BC-3000-20
1-Port RS232/422/485 to
1-Port Duplex-F0/FC,1310nm,
MM-2Km and SM-20Km



BC-3000-20T
1-Port RS232/422/485 to
1-Port Simplex-F0/FC,1310/1550nm Bidi
MM-2Km and SM-20Km



BC-3000-20R
1-Port RS232/422/485 to
1-Port Simplex-F0/FC,1550/1310nm Bidi
MM-2Km and SM-20Km

Application: Media Converter Fiber Wiring



Media Converter Fiber (CCTV)

720P HD, 1 Mega Pixels



BC-TVI0100-720-VT/VR
1-Port AHD 720P to
1-Port Fiber, 20Km

BC-TVI0101-720-VT/VR
1 Port AHD 720P to
1Port Fiber, 20Km with 1 RS485



BC-TVI0200-720-VT/VR
2-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI0201-720-VT/VR
2-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0400-720-VT/VR
4-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI0401-720-VT/VR
4-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0800-720-VT/VR
8-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI0801-720-VT/VR
8-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI1600-720-VT/VR
16-Ports AHD 720P to
1-Port Fiber, 20Km

BC-TVI1601-720-VT/VR
16-Ports AHD 720P to
1-Port Fiber, 20Km with 1 RS485

1080P HD, 2Mega Pixels



BC-TVI0100-1080-VT/VR
1- Port AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0101-1080-VT/VR
1 Port AHD 1080P to
1 Port Fiber, 20Km with 1 RS485



BC-TVI0200-1080-VT/VR
2-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0201-1080-VT/VR
2-Ports AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0400-1080-VT/VR
4-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0401-1080-VT/VR
4-Port AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0800-1080-VT/VR
8-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI0801-1080-VT/VR
8-Ports AHD 1080P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI1600-1080-VT/VR
16-Ports AHD 1080P to
1-Port Fiber, 20Km, 1080P

BC-TVI1601-1080-VT/VR
16-Ports AHD 1080P to
1-Port Fiber, 20Km with 1 RS485

1960P HD, 5Mega Pixels



BC-TVI0100-1960-VT/VR
1- Port AHD 1960P to
1-Port Fiber, 20Km, 1960P

BC-TVI0101-1960-VT/VR
1 Port AHD 1960P to
1 Port Fiber, 20Km with 1 RS485



BC-TVI0200-1960-VT/VR
2-Ports AHD 1960P to
1-Port Fiber, 20Km, 1960P

BC-TVI0201-1960-VT/VR
2-Ports AHD 1960P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0400-1960-VT/VR
4-Ports AHD 1960P to
1-Port Fiber, 20Km, 1960P

BC-TVI0401-1960-VT/VR
4-Port AHD 1960P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI0800-1960-VT/VR
8-Ports AHD 1960P to
1-Port Fiber, 20Km, 1960P

BC-TVI0801-1960-VT/VR
8-Ports AHD 1960P to
1-Port Fiber, 20Km with 1 RS485



BC-TVI1600-1960-VT/VR
16-Ports AHD 1960P to
1-Port Fiber, 20Km, 1960P

BC-TVI1601-1960-VT/VR
16-Ports AHD 1960P to
1-Port Fiber, 20Km with 1 RS485

Application:

CCTV Media Converter Wiring Cable



EOC, Surge Protection, Power Supply Product Group

EOC(Ethernet Over Coaxial)



BC-EOC1500M
1 port Coaxial uplink
1 port 10/100M PoE Ethernet



BC-EOC100
1 port RJ45
1 Port Coaxial

Surge Protection



BC-5010
10/100MBPS Ethernet
Surge Protection



BC-PV101
10/100/1000MBPS Ethernet Surge Protection, 4Kv
BC-PV102
10/100/1000MBPS Ethernet Surge Protection, 10Kv



BC-5052
BNC Video
Surge Protection



BC-5053
RS-485
Surge Protection

Power Supply



BC-75-48
Input 100-240 VAC
Output 48 VDC,1.6A, 76W
Industrail Din-Rail
Power Supply



BC-120-48
Input 100-240 VAC
Output 48 VDC,2.6A, 120W
Industrail Din-Rail
Power Supply



BC-45-12
Input 200-240 VAC
Output 48 VDC,1.25A, 60W
Waterproof IP67
PowerSupply



BC-45-12
Input 100-240 VAC
Output 12 VDC,3.5A, 42W
Industrail Din-Rail
PowerSupply




BC-12V3A
Input 100-240 VAC
Output 12 VDC,3A, 36W
Power Adapter



BC-12V1A
Input 100-240 VAC
Output 12 VDC,1.0A, 12W
Power Adapter

Application:

EOC Wiring Cable



QUICK

Product Guide

NETWORKS ACTIVE PRODUCT



บริษัท ทากาวเข้าสู่ปีที่ 25
โทร 02-508-0977 (อัตโนมัติ 20 คู่สาย)

BELCOMMS[®]



© NCSNETWORK

PoE Industrial Switch

100Mbps

PoE,
Un-Management

BC-2016SC
1-Port 10/100M PoE UTP/RJ45
1-Port 100M F0/SC
SM/1310nm, 20Km, Unmanage



BC-2026SFP2
2-Ports 10/100M PoE UTP/RJ45
2-Ports 100M F0/SFP Slot
Up to 120Km, Unmanage



BC-2046SFP2
4-Ports 10/100M PoE UTP/RJ45
2-Ports 100M F0/SFP Slot
Up to 120Km, Unmanage

1000Mbps

PoE,
Un-Management

BC-2016SFG
1-Port 10/100/1000M PoE UTP/RJ45
1-Port 1000M F0/SFP Slot
SM/1310nm, Up to 120Km, Unmanage



BC-2026SFG2
2-Ports 10/100/1000M PoE UTP/RJ45
2-Ports 100/1000M F0/SFP Slot
Up to 120Km, Unmanage



BC-2046SFG2
4-Ports 10/100/1000M PoE UTP/RJ45
2-Ports 1000M F0/SFP Slot
Up to 120Km, Unmanage



BC-2086SFG2
8-Ports 10/100/1000M PoE UTP/RJ45
2-Ports 1000M F0/SFP Slot
Up to 120Km, Unmanage

1000Mbps

PoE,
Management

BC-44124
2-Ports SFP 100/1000M
4-Ports 10/100/1000M PoE
Manage



BC-44228
2-Ports SFP 100/1000M
8-Ports 10/100/1000M PoE
Manage Layer-2



BC-44168
6-Ports SFP 100/1000M
8-Ports 10/100/1000M PoE
Manage Layer-2



BC-44126
2-Ports SFP 100/1000M
4-Ports 10/100/1000M
Manage Layer-2



BC-44128
2-Ports SFP 100/1000M
8-Ports 10/100/1000M
Manage Layer-2



BC-44268
6-Ports SFP 100/1000M
8-Ports 10/100/1000M
Manage Layer-2




BC-44412
4-Ports SFP 100/1000M
12-Ports 10/100/1000M
Manage Layer-2



BC-441212
12-Ports SFP 100/1000M
12-Ports 10/100/1000M
Manage Layer-2

Application

Ethernet Switch with Fiber Port



Fiber Optic Cable

2 Km, Multi-mode Fiber Cable
120 Km, Single-mode Fiber Cable

Industrial
Ethernet SwitchEthernet Device
Each IP cam, Access Point, Switch

Power + Data

100 Meter length of UTP CABLE



1000Mbps

PoE, Hi-Power



BC-210024
1-Port 100/1000 Mbps SFP to
1-Port 10/100/1000 Mbps with PoE,
PSE, Ext. AC-DC48V0.5A, 24W
**รุ่นนี้ไม่ต้องซื้อ Power Supply เติม ประหยัด
เหมาะสำหรับกล้อง Speed Dome



BC-210065
1-Port 100/1000 Mbps SFP to
1-Port 10/100/1000 Mbps with PoE,
PSE, Ext. AC-DC52V1.25A, 65W
**รุ่นนี้ไม่ต้องซื้อ Power Supply เติม ประหยัด
เหมาะสำหรับกล้อง Speed Dome



Application

Ethernet Switch with Fiber Port



Fiber Optic Cable

2 Km, Multi-mode Fiber Cable
120 Km, Single-mode Fiber Cable

BC-210024
BC-210065Power
AdapterEthernet Device
Each IP cam, Access Point, Switch
PoE, IP CAM.

Power + Data

100 Meter length of UTP CABLE



220Vac

PoE Ethernet Switch Extender 250 Meters UTP Cable length.

100Mbps Data Rate
Extender 250m



BC-10042
4-port 10/100Mbps PoE Switch
+2 port 100Mbps RJ45 Ethernet Uplink



BC-10082
8-port 10/100Mbps PoE Switch
+2 port 100Mbps RJ45 Ethernet Uplink



BC-10163
16-port 10/100Mbps PoE Switch
+2 10/100/1000Mbps RJ45 Ethernet Uplink
+1 Gigabit SFP 1000M Fiber



BC-10242
24-port 10/100Mbps PoE Switch
+2 port 10/100/1000Mbps RJ45 Ethernet Uplink
+1 port 1000Mbps SFP Fiber

100Mbps Data Rate
Extender 250m



BC-20024
4-port 10/100/1000Mbps PoE Switch
+2 port 1000Mbps RJ45 Ethernet Uplink



BC-20028
8-port 10/100/1000Mbps PoE Switch
+2 port 1000Mbps RJ45 Ethernet Uplink



BC-20216
16-port 10/100/1000Mbps PoE Switch
+2 port 100/1000Mbps RJ45 Ethernet Uplink
+2 port 100/1000Mbps SFP Fiber



BC-20224
24-port 10/100/1000Mbps PoE Switch
+4 port 100/1000Mbps RJ45 Ethernet Uplink, Combo
+4 port 100/1000Mbps SFP Fiber, Combo

100Mbps Data Rate
Management Layer-2



BC-22008
8-port 10/100/1000Mbps PoE Switch
+2 port 100/1000Mbps SFP Uplink
Layer-2 Switch Management

ICT
TOR.



BC-22016
16-port 10/100/1000Mbps PoE Switch
+2 port 100/1000Mbps SFP Uplink
Layer-2 Switch Management

ICT
TOR.




BC-22024
24-port 10/100/1000Mbps PoE Switch
+2 port 100/1000Mbps SFP Uplink
Layer-2 Switch Management

ICT
TOR.

Application

Ethernet Switch, 250M Extender



Power + Data

250 Meter length of UTP CABLE

Ethernet Device
Each IP cam, Access Point, Switch



PoE Injector Ethernet



PSE-M360
10/100M, 36W



PSE-G350
10/100/1000M, 35W



PSE-G600
10/100/1000M, 60W

Application

Ethernet Switch



Data In

100 Meter length of UTP CABLE

Injector



Power + Data

100 Meter length of UTP CABLE

Ethernet Device
Each IP cam, Access Point, Switch



220Vac



Ethernet Switch

100 Mbps Series



SMD-2402
24-ports 10/100Base-Tx RJ45 to
2 x 1000 Combo Ports(RJ45/SFP) Fast Ethernet Switch
19" Rack mount type



SMD-008
8-ports 10/100Base-Tx Fast Ethernet
Table type



BC-0104
1-ports 100Base-FX/SC/SM-1310nm to
4-ports 10/100Base-Tx VLAN function 20Km

1000 Mbps Series



BCG-1080
10-ports 1000Base-x SFP(1G) to
8-ports 10/100/1000Base-Tx
19" Rack mount type



BCG-0208
2-ports 1000Base-x SFP(1G) to
8-ports 10/100/1000Base-Tx
19" Rack mount type



BCG-2400
24-ports 10/100/1000Base-Tx
Office Switch
19" Rack mount type

1000 Mbps Series Management Layer-2



BCG-2404P
24-ports 1000Base-Tx RJ45 to
4-Ports 1000M-SFP(100M/1G)
Layer 2, Link Aggregation
Spanning Tree Management
19" Rack mount type



BCG-0802P
8-ports 1000Base-Tx RJ45 to
2-Ports 1000M-SFP(100M/1G)
Layer 2, Link Aggregation
Spanning Tree Management
19" Rack mount type

Application

Ethernet Switch



Data

100 Meter length of UTP CABLE

Ethernet Device
Each IP cam, Access Point, Switch



CCTV and IP camera

CCTV camera

720P / 1.3MP



BC-AHD720P-D0
Sony 1.3MP / 720P,
AHD / ANALOG
3.6mm Len, IR 20M, IP66



BC-AHD720P-BU
Sony 1.3MP / 720P,
AHD / ANALOG
3.6mm Len, IR 20M, IP66



BC-AHD720P-50
Sony 1.3MP / 720P,
AHD / CVI, TVI / ANALOG
2.8-12mm Len, IR 50M, IP66



BC-AHD720P-WC
Sony 1.3MP / 720P,
AHD / CVI, TVI / ANALOG
2.8-12mm Len, IR 50M, IP66

CCTV camera

1080P / 2.0MP



BC-4IN1BU-28
Sony 2.0MP / 1080P
AHD / CVI, TVI / ANALOG
2.8mm. Len, IR 20M, IP66



BC-4IN1DO-30
Sony 2.0MP / 1080P
AHD / CVI, TVI / ANALOG
2.8-12mm. Len, IR 30M, IP66

IP camera

1080P / 2.0MP



BC-IPB20
Sony 2.0MP / 1080P
IP camera, PoE, MIC, Onvif
2.8mm. Len, IR 20M, IP66



BC-IPD20
Sony 2.0MP / 1080P
IP camera, PoE, MIC, Onvif
2.8mm. Len, IR 20M, IP66



BC-IP2812IN
Sony 2.0MP / 1080P
IP camera, PoE, Onvif
2.8-12mm. Len, IR 50M, IP66



BC-IP2812OUT
Sony 2.0MP / 1080P
IP camera, PoE, Onvif
2.8-12mm. Len, IR 40M, IP66

IP camera

1960P / 5.0MP



BC-IPB50
Sony 5.0MP @25fps
(2592 x 944)
IP camera, PoE, MIC, Onvif
2.8mm. Len, IR 30M, IP66

XVR recorder

1080P / 2.0MP

Hybride
Support AHD / CVI / TVI / ANALOG / IP




BC-AHD04
4 Channel XVR recorder
Support AHD/CVI/TVI/ANALOG/IP
5 in 1 Hybride DVR/NVR/HVR



BC-1080P8
8 Channel XVR recorder
Support AHD/CVI/TVI/ANALOG/IP
5 in 1 Hybride DVR/NVR/HVR



BC-1080P16
16 Channel XVR recorder
Support AHD/CVI/TVI/ANALOG/IP
5 in 1 Hybride DVR / NVR / HVR



M

CCTV Media Converter Fiber Optic
Up to 2 Km. Multi-mode FO Cable
Up to 20 Km Single-mode FO Cable

O

Balan Convert Coaxial Cable to UTP Cable
- Up to 450 M. for 720P CVI Camera
- Up to 250 M. for 1080P CVI Camera
- Up to 250 M. for 720/1080P TVI Camera
- Up to 320 M. for 720P AHD Camera
- Up to 220 M. for 1080P AHD Camera
- Up to 300 M. for CVBS Camera